JOURNAL OF THE AMERICAN PHARMACEUTICAL ASSOCIATION

Published in Two Monthly Editions under Supervision of the Committee on Publications with the Approval of the Council

Committee on Publications

JOHN B. HEINZ, *Chairman*

ROBERT P. FISCHELIS
JOHN J. DUGAN
GLENN L. JENKINS
HUGO H. SCHAEFER

SCIENTIFIC EDITION

Editor

JUSTIN L. POWERS

INDEX TO VOLUME XLV

INDEX TO AUTHORS
INDEX TO SUBJECTS

JANUARY TO DECEMBER, 1956

AUTHOR INDEX

A

Abbott, D. D., *see* Packman, E. W., 89
Abraham, D., *see* Moore, W. E., 257
Abu-Shady, H., *see* Soine, T. O., 426
Agarwal, S. L., Dandiya, P. C., Singh, K. P., and Arora, R. B., a note on the preliminary studies of certain pharmacological actions of *Acorus calamus* L., 655
Aguilar, T. N., Blaug, S. M., and Zopf, L. C., a study of the antibacterial activity of some complex aluminum salts, 498
Allen, M. H., Gravel, A. C., and Cosgrove, F. P., some properties and uses of Nu Film starch, 753
Allmark, M. G., *see* Mannell, W. A., 98
Ambrose, A. M., and Robbins, D. J., studies on the toxicity of acetoglycerides, 282
Anderson, F. E., Grail, G. F., Leonard, F., Tenenbaum, L. E., Hart, J. J. D., and Barkley, F. A., the antituberculous activity of some isonicotinic acid hydrazide congeners and derivatives, 348
Anderson, R. C., *see* Swanson, E. E., 40
Andrade, J. L., Baumrucker, J., and Márquez, V. M., interference of lactose in the determination of succinylsulfathiazole, 446
Andries, M. C., Fairbairn, J. W., and Youngken, H. W., Jr., the tryptophane-nicotinic acid relationships and alkaloid biosynthesis in certain solanaceae, 70
Arnista, E. S., Greenberg, L. F., Barr, M., and Tice, L. F., an investigation of the system sorbitol-sucrose-water, 45
Arora, R. B., *see* Agarwal, S. L., 655
Autian, J., *see* Hom, F. S., 608

B

Bahler, M. E., *see* Florestano, H. J., 13, 320, 538
Baizer, M. M., Dub, M., Gister, S., and Steinberg, N. G., synthesis of isoniazid from citric acid, 478
Ballard, B. E., Dufrenoy, J., and Pratt, R., the goldfish as a potentially useful animal for testing neurotoxicity of antibiotics, 181
Bandelin, F. J., and Malesh, W., alkaloids of *Chelidonium majus*, L., leaves and stems I. *dl*-Tetrahydrocoptisine, 702
——*see* Pankratz, R. E., 364
Banes, D., Wolff, J., Fallscheer, H. O., and Carol, J., the assay of *Rauwolfia serpentina* preparations, 708; the oxidative degradation of reserpine preparations, 710
——*see* Carol, J., 200
Bargh, W. H., *see* Dennison, K. F., 818
Barker, D. Y., Christian, J. E., and DeKay, H. G., a radioactive tracer technique for determining the release of medication from hydrophilic ointment bases, 601
——DeKay, H. G., and Christian, J. E., a study of the effect of nonionic emulsifying agents on the release of medication from hydrophilic ointment bases, 527
Barkley, F. A., *see* Anderson, F. E., 348
Barr, M., *see* Arnista, E. S., 45
Basu, N. K., and Singh, H., investigation of *Orthosiphon pallidus* Royle I. Preliminary chemical study and isolation of "Orthosiphonol," 595; investigation of *Orthosiphon pallidus* Royle II. Isolation of choline and betaine, 598
Bauer, C. W., and Kay, D. H., a study of the hydrolytic action of cascara sagrada, 634
——and LaSala, E. F., the effect of sodium N-lauroyl sarcosinate and of sodium dehydroacetate on the enzymes of the gastrointestinal tract, 675
Bauer, E., *see* Matthews, C., 260
Baumrucker, J., *see* Andrade, J. L., 446
Beal, H. M., *see* Head, W. F., 239
Beal, J. L., *see* Mary, N. Y., 229, 347, 370
Becker, C. H., *see* Mullins, J. D., 105, 110
——*see* Reid, A. W., 160
Beniams, H. N., *see* Seeberg, V. P., 342
Biles, J. A., *see* Penprase, W. G., 585
Bjornsson, S., and Miller, O. H., production of water-soluble or dispersible pills by the drop method, 618
Blake, M. I., *see* Hamarneh, S. K., 713
——*see* Kessler, W., 570
——*see* Meland, G., 672
Blaug, S. M., a note on the determination of some alkali salts of organic acids by ion exchange, 274
——and Zopf, L. C., the ion exchange chromatographic determination of antihistamines, 9
——*see* Aguilar, T. N., 498
——*see* Lach, J. L., 611
Blicke, F. F., and Johnson, W. K., analogs of (±)-epinephrine, 437; α- and β-amino ketones and corresponding secondary alcohols, 440; 1-cycloalkyl-2-aminopropanes and ethanes, 443
Blitz, M., Eigen, E., and Gunsberg, E., studies relating to the stability of vitamin B_{12} in B-complex injectable solutions, 803
Blubaugh, F. C., and Guth, E. P., a general study of the effects of lipids upon the quantity of peroxides produced by photosensitized zinc oxide, 696
Blumberg, H., Kallenbach, A. L., Dayton, H. B., Gordon, S. M., comparison of aqueous and repository tubocurarine for muscle relaxant effectiveness and toxicity in rabbits, 330
Bodin, J. I., analysis of phenobarbital in pharmaceuticals by argentimetric potentiometric titration, 185
Bohning, R. H., *see* Mary, N. Y., 347
Bone, J. N., and Poe, C. F., a note on the antiseptic value of certain pectin pastes, 350
Booth, R. E., and Jensen, E. H., determination of carbon disulfide in its piperazine compounds, 535
Bope, F. W., *see* Lamb, D. J., 178
Borke, M. L., and Kirch, E. R., a note on chemical constitution and biological activity of some derivatives of thiophosphoric acid, 817
Borst, W. R., and Christian, J. W., a method of synthesizing C^{14} carboxyl acetylsalicylic acid, 23
—— Christian, J. E., and Miya, T. S., determination of the excretion and the tissue distribution of carboxyl carbon in the rat after administration of C^{14} carboxyl acetylsalicylic acid, 511
Bouchard, E. F., *see* Leyden, A. F., 771
Brochmann-Hanssen, E., a new approach to the assay of alkaloidal crude drugs I. Cinchona and nux vomica, 74
——a new approach to the assay of alkaloidal crude drugs. II. Ipecac, 344
Buckley, J. P., *see* Kinnard, W. J., Jr., 801
Busse, L. W., *see* Strickland, W. A., Jr., 51, 482
Byrum, W. R., and Dale, L. B., Jr., pharmaceutical and toxicological studies on the polyuronide of sapote gum, 134

C

Cadwallader, D. E., Jr., and LaRocca, J. P., synthesis of some diacylimines, 480
Caldwell, H. C., and Nobles, W. L., some amithiozone (Tibione) analogs, 729
Camp, B. J., and Lyman, C. M., the isolation of N-methyl β-phenylethylamine from *Acacia berlandieri*, 719
Campbell, J. A., *see* Chapman, D. G., 374
Campo, J. M. and Gramling, L. G., extraction of *Cinchona succirubra* with tetrahydrofuran and its mixture, 242
Cannon, J. G., a note on a new method of preparation of (bromomethyl) malonic ester, 430
Caponetti, J. D., and Quimby, M. W., the comparative anatomy of certain species of *Smilax*, 691
Carioto, R. A., *see* Mannell, W. A., 98
Carol, J., Banes, D., Wolff, J., and Fallscheer, H. O., the chemical evaluation of *Rauwolfia serpentina* preparations, 200
Carol, J., *see* Banes, D., 708, 710
Chafetz, L., *see* Foye, W. O., 461
Chamberlain, R. E., *see* Swintosky, J. V., 34, 37
Chapman, D. G., Crisafio, R., and Campbell, J. A., the relation between *in vitro* disintegration time of sugar-coated tablets and physiological availability of sodium *p*-aminosalicylate, 374
Charnicki, W. F., and Data, J. B., alpha, omega-diphenyl and alpha, omega-cyclohexylphenyl derivatives of amino alkanes and hydroxy amino alkanes, 65
Chatten, L. G., the nonaqueous titration of PAS, sodium PAS, and some commercial preparations, 556
Chen, K. K., *see* Powell, C. E., 559, 733
Chiccarelli, F. S., Van Gieson, P., and Woolford, M. H., Jr., the fluorometric assay for chlortetracycline HCl and the determination of tetracycline HCl in chlortetracycline HCl, 418
——*see* Woolford, M. H., Jr., 400
Childs, R. F., and Parks, L. M., determination of hexachlorophene in liquid soaps, 313
Christensen, B. V., *see* Mary, N. Y., 229, 370
Christian, J. E., radioactive iodine in pharmaceutical science, 500
——*see* Barker, D. Y., 527, 601
——*see* Borst, W. R., 23, 511
——*see* Crabtree, R. E., 667
——*see* Gerding, P. W., 188
——*see* Lieberman, H., 295
——*see* Lordi, N. G., 300, 530
——*see* Paikoff, M., 623
Coker, S. T., and Miya, T. S., the effect of certain antispasmodics on the oxygen uptake of rat jejunum and liver, 626
Colville, K. I., and Fanelli, R. V., the ganglionic blocking activity of a series of 4-aminoethylpiperidine derivatives, 727
Comer, J. P., and Kennedy, E. E., assay of 2-aminoheptane and methyl hexane amine in plastic inhalers by titration in glacial acetic acid, 454
Conn, J. B., Humphrey, W. K., Magee, J. V., and Wallace, W. J., zinc oxide hyperfine: Preparation and properties, 311
Cooper, D. J., Miya, T. S., and Edwards, L. D., the effect of certain nonnarcotic analgetics on diuresis and liver sulfhydryl concentration in the albino rat, 163
Cooper, J., *see* Windheuser, J., 542
Coppock, H. W., *see* Nichols, J. R., 788
Cosgrove, F. P., *see* Allen, M. H., 753
Cosmides, G. J., Stemler, F. W., and Miya, T. S., a colorimetric comparison of plasma-salicylate level following the oral administration of certain salicylates to rabbits, 16
Coulston, F., and Seed, J. G., the relationship of psyllium seed and various fractions of the seed to kidney pigmentation, 716
Coward, R. H., and Harris, L. E., a phytochemical investigation of *Dryopteris hexagonoptera* Michaux, 325
Crabtree, R. E., Data, J. B., and Christian, J. E., a study of the carbon-14 content of blood after the oral administration of C^{14}-carboxyl acetylsalicylic acid to nonfevered and fevered rats, 667
Cravioto, P. J., *see* Hutchins, H. H., 806

Crisafio, R., *see* Chapman, D. G., 374
Cyr, G. N., *see* Mutimer, M. N., 101, 212

D

Dale, L. B., Jr., *see* Byrum, W. R., 134
Dandiya, P. C., *see* Agarwal, S. L., 655
D'Asaro, B., *see* Sheppard, H., 681
Data, J. B., *see* Charnicki, W. F., 65
——*see* Crabtree, R. E., 667
David, N. A., *see* Van Arsdel, W. C., III, 645
Davidson, J., *see* Matthews, C., 260
Davis, W. M., Miya, T. S., and Edwards L. D., the influence of glucose and insulin pretreatment upon morphine analgesia in rat, 60
Dayton, H. B., *see* Blumberg, H., 330
Deardorff, D. L., *see* Mueller, W. H., 334
——*see* Winters, E. P., 125
Deitrich, R. A., and Heim, H. C., the effect of emetine upon rat heart respiration, 562
DeKay, H. G., *see* Barker, D. Y., 527, 601
Demaree, G. E., and Tyler, V. E., Jr., the accumulation of hordenine in the seedlings of *Panicum miliaceum*, 421
DeMerre, L. J., and Wilson, C., photolysis of vitamin B_{12}, 129
Dennison, K. F., Schermerhorn, J. W., and Bargh, W. H., a note on an improved iontophoretic device, 818
Dickinson, R. W., *see* Haley, T. J., 428, 432
DiGangi, F. E., *see* Soine, T. O., 426
Doukas, H. M., *see* Scott, W. E., 568
Dub, M., *see* Baizer, M. M., 478
Dufrenoy, J., *see* Ballard, B. E., 181
Dupuy, H. P., and Lee, G. L., the toxic component of the Singletary pea (*Lathyrus pusillus*), 236

E

Edwards, L. D., *see* Cooper, D. J., 163
——*see* Davis, W. M., 60
——*see* Levy, B., 592, 797
—— *see* Rossi, G. V., 47
Emick, G. H., *see* Wenzel, D. G., 284, 414
Engelhard, W. E., and Worton, A. G., evaluation of an iodonium compound as an antiseptic agent, 402
Engle, C. E., *see* Shafer, E. G., 114

F

Fairbairn, J. W., *see* Andries, M. C., 70
Fallscheer, H. O., *see* Banes, D., 708, 710
—— *see* Carol, J., 200
Fanelli, R. V., *see* Colville, K. I., 727
Faust, J. A., Jules L. H., and Sahyun, M., derivatives of salicylamide, 514
—— *see* Jules, L. H., 277
Feldman, E. G., *see* Foye, W. O., 30
Ferguson, N. M., synthetic laxative drugs, 650
Ferry, C. W., *see* Murphy, J. E., 508
Feurt, S. D., and LaRocca, J. P., evaluation of substituted amides utilizing an electronic activity-recording device, 487
Fisher, M. P., and Lauter, W. M., the condensation of 2-mercaptothiazoline, aliphatic aldehydes, and secondary amines, 531
Florestano, H. J., and Bahler, M. E., antimicrobial properties of dyclonine hydrochloride, a new topical anesthetic, 320
—— Bahler, M. E., and Jeffries, S. F., comparative release of antibiotics from water-miscible-type and grease-type ointment bases, 538
—— Bahler, M. E., and Richards, A. B., effect of actamer and tyrothricin on oral microorganisms, 13
Foye, W. O., and Chafetz, L., amine derivatives of cyanuric chloride II. Amino esters, 461
—— and Feldmann, E. G., comparative activities and toxicities I. Sugar and amino acid derivatives of aminosalicylic acids, 30
—— and Lange, W. E., derivatives of α-amino aldehydes II. Semicarbazones, 742
—— *see* Lange, W. E., 699
Frost, D. V., *see* Lambert, G. F., 685

G

Gale, L. E., and Scott, P. M., a photometric technique for the quantitative measurement of changes in peripheral blood flow, 491
Garrett, E. R., prediction of stability in pharmaceutical preparations II. Vitamin stability in liquid multivitamin preparations, 171; III. Comparison of vitamin stabilities in different multivitamin preparations, 470
Gerding, P. W., Christian, J. E., and Sperandio, G. J., a note on an electrolytic sysnthesis of I^{131} labeled iodoform, 188
Gibson, W. R., *see* Powell, C. E., 785
—— *see* Swanson, E. E., 40
Gister, S., *see* Baizer, M. M., 478
Gisvold, O., *see* Kier, L., 581
—— *see* Petersen, R. V., 572
Gjerstad, G., a note on the metabolism of lysergic acid by *Claviceps purpurea* (Fries) Tulasne, 428
Glickman, M. E., *see* Mutimer, M. N., 212
Goff, J. W., *see* Stapert, E., 309
Goldberg, M. E., *see* Harrison, J. W. E., 738
—— *see* Packman, E. W., 735
Goldsmith, D. P. J., Kelley, K. L., and Mushett, C. W., anticoagulant sulfuric acid esters of synthetic polyglucoses, 223
Goodrich, F. J., *see* Wassberg, C., 495
Gordon, S. M., *see* Blumberg, H., 330
Graber, M. B., *see* Smissman, E. E., 509
Grail, G. F., *see* Anderson, F. E., 348
Gramling, L. G., *see* Campo, J. M., 242
Granatek, E., and Jannke, P., a note on a dehydration product of o-thymotic acid, 764
Gravel, A. C., *see* Allen, M. H., 753
Greenberg, L. F., *see* Arnista, E. S., 45
Gross, E. G., *see* Yim, G. K. W., 664
Gross, H. M., Johnson, W. A., and Lafferty, G. J., bacitracin III. Formulatory characteristics of zinc bacitracin, 447
Guarini, J. R., *see* Swintosky, J. V., 34, 37
Guth, E. P., *see* Blubaugh, F. C., 696
—— *see* Salisbury, R., 456
—— *see* Young, J. C., 724
Guttman, D., and Higuchi, T., possible complex formation between macromolecules and certain pharmaceuticals X. The interaction of some phenolic compounds with polyethylene glycols, polypropylene glycols, and polyvinylpyrrolidone, 659

H

Hager, G. P., and Speaker, T. J., derivatives of arylpolycarbamic acids of pharmacologic interest, 411
Haley, T. J., pharmacological effects from drugs injected intracerebrally in unanesthetized animals, 604
—— and Dickinson, R. W., a note on an indwelling cannula for intraventricular injection of drugs in the unanesthetized dog, 432
—— McCormick, W. G., and Dickinson, R. W., a note on a plastic insert for adapting Beckman corex cells to microanalysis, 428
Hall, N. A., *see* Roscoe, C. W., 464
Halverstadt, I. F., *see* Williams, A. R., 423
Hamarneh, S. K., Blake, M. I., and Miller, C. E., the determination of free menthol in peppermint oil by chromatographic analysis, 713
Hargreaves, G. L., *see* Manly, R. S., 389
Harris, L. E., *see* Coward, R. H., 325
Harrisson, J. W. E., Packman, E. W., Trabin, B., and Goldberg, M. E., a comparative *in vivo* study of antacids II, 738
—— *see* Leonard, C. A., 116
—— *see* Packman, E. W., 89, 735
—— and Packman, E. W., the antacid effect of dihydroxy aluminum sodium carbonate (FASC) as determined in the gastric fistula-dog, 21
Hart, J. J. D., *see* Anderson, F. E., 348
Hartmann, C. W., and LaRocca, J. P., the use of hydrogenated cottonseed oil and hexadienol as suppository bases, 86
Havemeyer, R. N., the measurement of consistency as a rheological property of ointments, 121
Hazleton, L. W., *see* Ward, J. W., 305
Head, W. F., Jr., Beal, H. M., and Lauter, W. H., ultrasonic extraction of *Cinchona succirubra*, 239
Headlee, C. P., *see* Kerley, L., 82
—— *see* Nichols, J. R., 788
Hefferren, J. J., Schrotenboer, G., and Wolman, W., an *in vitro* study of antacids: Methods and modifying factors, 564
Heim, H. C., *see* Deitrich, R. A., 562
—— *see* McDonald, J. G., 808
Herrmann, R. G., *see* Powell, C. E., 733
Hidalgo, J., *see* Seeberg, V. P., 342
—— *see* Williams, A. R., 423
Highstrete, J. D., *see* Sachs, R. A., 248, 250
Higuchi, T., *see* Guttman, D., 659
—— *see* Kennon, L., 157
—— *see* Kostenbauder, H. B., 518, 810
—— *see* Lachman, L., 290
—— *see* Strickland, W. A., Jr., 51, 482
—— *see* Szulczewski, D. H., 776
Hill, J. A., *see* Mutimer, M. N., 101, 212
Hizon, R. P., and Huyck, C. L., the stability of almond and corn oils for use in parenteral solutions, 145
Hom, F. S., and Autian, J., study of stability of sulfadiazine sodium injection I. Determination of solubility of sulfadiazine sodium as a function of *p*H in several parenteral solvent systems, 608
Hudak, E. S., Mercer, B. D., and Wotiz, J. H., fungistatic, bacteriostatic, and amebicidal studies on the isomeric normal nonynoic acids, 327
Humphrey, W. K., *see* Conn, J. B., 311
Husa, W. J., *see* McCowan, J. R., 474
—— *see* Plaxco, J. M., Jr., 141
—— *see* Schimmel, J., 204
Hutchins, H. H., Cravioto, P. J., and Macek, T. J., a comparison of the stability of cyanocobalamin and its analogs in ascorbate solution, 806
Huyck, C. L., *see* Hizon, R. P., 145

Ichniowski, C. T., *see* Kaiser, J. A., 225
Iloff, P. M., Jr., and Mirov, N. T., composition of gum turpentines of pines XXV. A report on two white pines: *Pinus koraiensis* from Korea and *P. pence* from Macedonia, 77; XXVII. A report on three Mexican pines: *Pinus pringlei* and *P. michoacana* from Michoacan and *P. arizonica* from Chihuahua, 167
—— *see* Mirov, N. T., 153, 629

J

Jannke, P., *see* Granatek, E., 764
Jeffries, S. F., *see* Florestano, H. J., 538
Jensen, E. H., *see* Booth, R. E., 535
Johnson, W. K., *see* Blicke, F. F., 437, 440, 443
Johnson, W. A., *see* Gross, H. M., 447
Jones, P. S., Thigpen, D., Morrison, J. L., and Richardson, A. P., *p*-hydroxybenzoic acid esters as preservatives III. The physiological disposition of *p*-hydroxybenzoic acid and its esters, 268
Jules, L. H., Faust, J. A., and Sahyun, M., derivatives of 3-, 4-, and 5-phenylsalicylamides, 277
—— *see* Faust, J. A., 514

K

Kaiser, J. A., and Ichniowski, C. T., a pharmacologic study of combinations of antihistaminic substances, 225
Kallenbach, A. L., *see* Blumberg, H., 330
Kay, D. H., *see* Bauer, C. W., 634
Keasling, H. H., *see* Schueler, F. W., 792
—— *see* Yim, G. K. W., 664
Kelley, J., *see* Goldsmith, D. P. J., 223
Kelly, F. H., *see* Mayer, S. W., 189
Kendis, M. S., *see* Sharp, G. S., 287
Kennedy, E. E., *see* Comer, J. P., 454
Kennon, L., and Higuchi, T., interaction studies of cationic drugs with anionic polyelectrolytes I. Sodium carboxymethylcellulose, 157

Kerley, L., and Headlee, C. P., bacterial resistance studies involving several drugs useful in the treatment of urinary tract disease, 82
Kessler, W., Blake, M. I., and Miller, C. E., preparation of bis-(2-nitro-2-methylpropyl)-sulfite, 570
Kier, L., and Gisvold, O., a note on tigogenin from *Digitalis lanata*, 581
Kinnard, W. J., Jr., Reif, E. C., and Buckley, J. P., a pharmacological study of some acetylenic carbinols, 801
Kirch, E. R., *see* Borke, M. L., 817
Koft, G. Y., *see* Wenzel, D. G., 372, 669
Kondritzer, A. A., *see* Zvirblis, P., 450
Kostenbauder, H. B., and Higuchi, T., formation of molecular complexes by some water-soluble amides I. Interaction of several amides with *p*-hydroxybenzoic acid, salicylic acid, chloramphenicol, and phenol, 518
—— and Higuchi, T., formation of molecular complexes by some water-soluble amides II. Effect of decreasing water solubility on degree of complex formation, 810
Kritchevsky, D., and McCandless, R. F. J., paper chromatography of bile acids II, 385
Kuramoto, R., *see* Schwartz, M. A., 814

L

Lach, J. L., Patel, D. M., and Blaug, S. M., the chromatographic separation of morphine from its degradation products, 611
Lachman, L., Ravin, L. J., and Higuchi, T., inhibition of hydrolysis of esters in solution by formation of complexes II. Stabilization of procaine with caffeine, 290
Lafferty, G. J., *see* Gross, H. M., 447
Lamb, D. J., and Bope, F. W., preparation and properties of 8-chlorotheophylline salts of some nitrogen bases, 178
Lambert, G. F., Miller, J. P., and Frost, D. V., the evaluation of various emulsifiers including polyoxyethylene sorbitan monostearate (Tween 60) for parenteral fat emulsions, 685
Lange, W. E., and Foye, W. O., metal chelates of alloxan, 699
—— *see* Foye, W. O., 742
LaRocca, J. P., *see* Cadwallader, D. E., Jr., 480
—— *see* Feurt, S. D., 487
—— *see* Hartman, C. W., 86
LaSala, E. F., *see* Bauer, C. W., 675
Laug, E. P., the exposure of drugs to the effects of nuclear explosions, 357
Lauter, W. M., *see* Fisher, M. P., 531
—— *see* Head, W. F., Jr., 239
Lavalee, A., *see* Mannell, W. A., 98
Lee, G. L., *see* Dupuy, H. P., 236
Leonard, C. A., and Harrisson, J. W. E., effect of hyperthermic shock on "free and bound" potassium levels, 116
Leonard, F., *see* Anderson, F. E., 348
Leuallen, E. E., *see* Urdang, A., 525
Levy, B., and Edwards, L. D., the influence of various agents upon the intensity and duration of morphine analgesia in rats, 797
—— Miya, T. S., and Edwards, L. D., the anticurare activity of two alkyl phosphates, 592
Leyden, A. F., Pomerantz, E., and Bouchard, E. F., pharmaceutical aspects of reserpine, 771
Lichtenstein, M. B., *see* Maruzzella, J. C., 378
Lieberman, H., Ramstad, E., and Christian, J. E., study of glycolic acid metabolism in *Bryophyllium calycinum* Salisb., 295
Lordi, N. G., and Christian, J. E., physical properties and pharmacological activity: Antihistaminics, 300; polarography of the ethylidinium ion of N-ethyl-N-1-naphthylmethyl-2-chloroethylamine, 530
Lundblad, J., *see* Seeberg, V. P., 342
Lyman, C. M., *see* Camp, B. J., 719

M

Macek, T. J., *see* Hutchins, H. H., 806
Mader, W. J., *see* Szalkowski, C. R., 613
Magee, J. V., *see* Conn, J. B., 311
Malesh, W., *see* Bandelin, F. J., 702
Malspeis, L., *see* Schwartz, M. A., 814
Manly, R. S., and Hargreaves, G. L., glycolysis inhibitors among compounds containing the CON structure, 389
Mannell, W. A., Lavallee, A., Carioto, Rita A., and Allmark, M. G., a comparison of methods of assay of digitoxin tablets, 98
Márquez, V. M., *see* Andrade, J. L., 446
Maruzzella, J. C., and Lichtenstein, M. B., the *in vitro* antibacterial activity of oils, 378
Mary, N. Y., Bohning, R. H., and Beal, J. L., a note on the effect of vitamin B_{12} on the unsaturated fatty acid content of castor oil, 347
—— Christensen, B. V., and Beal, J. L., a paper chromatographic study of aloe, aloin, and of cascara sagrada, 229; the effect of some selected surface-active agents on the extraction of cape aloe, 370
Matthews, C., Davidson, J., Bauer, E., Morrison, J. L., and Richardson, A. P., *p*-hydroxybenzoic acid esters as preservatives II. Acute and chronic toxicity in dogs, rats, and mice, 260
Mattocks, A. M., *see* Milosovich, G., 758
Mayer, S. W., Kelly, F. H., and Morton, M. E., antibiotics and thyroid tissue slices, 189
McAuliff, J. P., *see* McChesney, E. W., 640
McCandless, R. F. J., *see* Kritchevsky, D., 385
McChesney, E. W., Wyzan, H. S., and McAuliff, J. P., the determination of 4-aminoquinoline antimalarials: revaluation of the induced fluorescence method with specific application to hydroxychloroquine analysis, 640
McColl, J. D., *see* Rice, W. B., 137, 637
McCormick, W. G., *see* Haley, T. J., 428
McCowan, J. R., and Husa, W. J., evaluation of collyria by the rabbit eye method, 474
McDonald, J. G., and Heim, H. C., the effect of prednisolone and prednisone on the oxygen uptake of inflamed tissue, 808
McMillan, F. H., and Scott, C. C., antispasmodics IV. Further basic alkyl ester acid addition and quaternary ammonium salts of alpha-(2-cycloalkenyl)-2-thienylacetic acids, 578
Meland, G., and Blake, M. I., the assay of aminoacetic acid elixir by nonaqueous titration, 672
Mercer, B. D., *see* Hudak, E. S., 327
Miller, C. E., *see* Hamarneh, S. K., 713
—— *see* Kessler, W., 570
Miller, J. P., *see* Lambert, G. F., 685
Miller, O. H., *see* Bjornsson, S., 618
Milosovich, G., and Mattocks, A. M., sorption of water by rubber closures for injections I. Effect of inorganic salts, 758
Mirov, N. T., and Iloff, P. M., Jr., composition of gum turpentines of pines XXVI. A report on *Pinus lawsoni* and *P. herrerai* from Michoacan, Mexico, and *P. ponderosa* from the California coast, 153; XXVIII. A report on *Pinus edulis* from eastern Arizona, *P. tropicalis* from Cuba, and *P. eliotti* var. *densa* from Florida, 629
Mirov, N. T., *see* Iloff, P. M., Jr., 77, 167
Misek, B., Powers, J., Ruggiero, J., and Skauen, D., pharmaceutical uses of carbopol 934, 56
Mitchner, H., and Parks, L. M., calculations on the countercurrent separation of weak acids and bases, 546; sabadilla alkaloids VI. Separation of veratridine and cevadine by countercurrent distribution. *p*H *vs.* partition coefficients, 549
Miya, T. S., *see* Borst, W. R., 511
—— *see* Coker, S. T., 626
—— *see* Cooper, D. J., 163
—— *see* Cosmides, G. J., 16
—— *see* Davis, W. M., 60
—— *see* Levy, B., 592
—— *see* Rossi, G. V., 47
Monte Bovi, A. J., a note on thioacetamide in pharmaceutical testing, 765
Moore, W. E., and Abraham, D., a new approach to the chemistry of aromatic ammonia spirit, 257
Morrison, J. L., *see* Jones, P. S., 268
—— *see* Matthews, C., 260
Morton, M. E., *see* Mayer, S. W., 189
Mueller, W. H., and Deardorff, D. L., ophthalmic vehicles: the effect of methylcellulose on the penetration of homatropine hydrobromide through the cornea, 334
Mullins, J. D., and Becker, C. H., a study of some factors influencing the stability of pharmaceutical emulsions I. The effect of two-stage high pressure homogenization, 105; II. The effect of wax and specific gravity adjustment, 110
Munch, J. C., a note on pressor drugs VI. Acute toxicity of epinephrines, 431
Murphy, J. E., and Ferry, C. W., a note on the melting range of succinylcholine chloride, 508
Mushett, C. W., *see* Goldsmith, D. P. J., 223
Mutimer, M. N., Riffkin, C., Hill, J. A., and Cyr, G. N., modern ointment base technology I. Properties of hydrocarbon gels, 101
—— Riffkin, C., Hill, J. A., Glickman, M. E., and Cyr, G. N., modern ointment base technology II. Comparative evaluation of bases, 212

N

Nash, C. B., an improved method for drop recording, 767
Nelson, E., a note on tablet hardness, 354
—— *see* Strickland, W. A., Jr., 51
Ng, W. F., and Poe, C. F., a note on the solubility of strychnine in alcohol and water mixtures, 351
Nichols, J. R., Headlee, C. P., and Coppock, H. W., drug addiction I. Addiction by escape training, 788
Nobles, W. L., *see* Caldwell, H. C., 729
North, W. C., and Urbach, K. F., effect of alteration of size of the aromatic dicarboxylic acid nucleus on local anesthetic activity, 382

O

Okumoto, M., *see* Riegelman, S., 93
Oneto, J. F., *see* Parikh, J. R., 219

P

Pabst, M. L., *see* Sachs, R. A., 248, 250
Packman, E. W., Abbott, D. D., and Harrisson, J. W. E., a preliminary study of the pharmacology of 11-desmethoxyreserpine (raunormine) an alkaloid from *Rauwolfia canescens* II, 89
—— Goldberg, M. E., and Harrisson, J. W. E., a comparative *in vivo* study of antacids I, 735
—— *see* Harrisson, J. W. E., 21, 738
Paikoff, M., and Christian, J. E., a study of a radiometric analysis of phenobarbital, 623
Pankratz, R. E., and Bandelin, F. J., the colorimetric determination of the individual components of acetylsalicylic acid, acetophenetidin and caffeine mixtures, 364
Parikh, J. R., and Oneto, J. F., 1-phenyl-2-amino-3-methoxy-1-propanol hydrochloride and related compounds, 219
Parks, L. M., *see* Childs, R. F., 313
—— *see* Mitchner, H., 546, 549
—— *see* Stuart, D. M., 252
Patel, D. M., *see* Lach, J. L., 611
Penprase, W. G., and Biles, J. A., the use of microscopic and X-ray diffraction methods for the identification of barbituric acid derivatives, 585
Pesonen, S., and Ramstad, E., studies on gentiopicrin, 522
Petersen, R. V., and Gisvold, O., the synthesis of some cyclic acetal and ketal derivatives of some hydroxyl-containing compounds, 572
Piantadosi, C., *see* Scott, M., 232
Plaxco, J. M., Jr., and Husa, W. J., the effect of various substances on the antibacterial activity of bacitracin in ointments, 141

Plummer, A. J., *see* Sheppard, H., 681
Poe, C. F., *see* Bone, J. N., 350
—— *see* Ng, W. F., 351
Pomerantz, E., *see* Leyden, A. F., 771
Powell, C. E., and Chen, K. K., pilocereine, a cactus alkaloid, 559
—— Gibson, W. R., and Swanson, E. E., the pharmacological action of 1-o-chlorophenyl - 2 - isopropylaminoethanol (isoprophenamine) a bronchodilator, 785
—— Hermann, R. G., and Chen, K. K., pharmacological action of four *Garrya* alkaloids, 733
Powers, J., *see* Misek, B., 56
Pratt, R., *see* Ballard, B. E., 181

Q

Quimby, M. W., *see* Caponetti, J. D., 691

R

Ramstad, E., *see* Lieberman, H., 295
—— *see* Pesonen, S., 522
Ravin, L. J., *see* Lachman, I., 290
Reddish, G. F., *see* Watson, N. E., 678
Reid, A. W., and Becker, C. H., a study of cocoa syrups for taste preference, 160
Reif, E. C., *see* Kinnard, W. J., Jr., 801
Reznek, S., the "melting-point" of suppositories. Device for testing the resistance of fatty-base suppositories to deformation, 246
Rhodes, H. J., and Soine, T. O., esters of bicyclic aminoalcohols as potential antispasmodics I. The synthesis of 2 - hydroxyoctahydroquinolizine and some of its esters, 746
Rice, W. B., and McColl, J. D., a comparison of dichloralphenazone and chloral hydrate, 137; observations on the toxicity and antigenicity of beef trypsin, 637
Richards, A. B., *see* Florestano, H. J., 13
Richardson, A. P., *see* Jones, P. S., 268
—— *see* Matthews, C., 260
Riegelman, S., Vaughn, D. G., Jr., and Okumoto, M., antibacterial agents in *Pseudomonas aeruginosa*-contaminated ophthalmic solutions, 93
Riffkin, C., *see* Mutimer, M. N., 101, 212
—— and Rubin, N., syntheses of amino ethers with potential pharmacological activity, 317
Ringel, S. J., a note on sabadilla alkaloids. Cevadine, 433
Robbins, D. J., *see* Ambrose, A. M., 282
Robinson, M. J., *see* Swintosky, J. V., 34, 37
Roscoe, C. W., and Hall, N. A., chelating agents as color stabilizers for epinephrine hydrochloride solutions, 464
Rose, H. A., and Van Camp, A., a note on the crystallography of *l*-isomethadone hydrochloride hydrate, 653
Rosen, E., *see* Swintosky, J. V., 34, 37
Rosenberg, P., *see* Wenzel, D. G., 1, 6, 367
Rossi, G. V., Miya, T. S., and Edwards, L. D., a pharmacologic study of calcium methionate, 47
Rubin, N., *see* Riffkin, C., 317
Ruggiero, J., *see* Misek, B., 56

S

Sachs, R. A., Highstrete, J. D., and Pabst, M. L., digitalis studies by the U. S. P. XIV method of assay I. Seasonal variation in response of the pigeon to digitalis, 248; II. Stability of crude digitalis leaf, 250
Sahyun, M., *see* Faust, J. A., 514
—— *see* Jules, L. H., 277
Saliabury, R., and Guth, E. P., a new preparative cell for high voltage electrophoresis, 456
Schaffer, P. S., *see* Scott, W. E., 568
Schermerhorn, J. W., *see* Dennison, K. F., 818
Schimmel, J., and Husa, W. J., the effect of various preservatives on microorganisms isolated from deteriorated syrups, 204
Schrotenboer, G., *see* Hefferren, J. J., 564
Schueler, F. W., two cyclic analogs of acetylcholine, 197
—— and Keasling, H. H., the polymerization of pharmacophoric moities and its effect upon biologic activity I. Polymeric quaternary ammonium salts, 792
Schwartz, M. A., Kuramoto, R., and Malspeis, L., chromatographic separation and analysis of naphazoline and its hydrolytic degradation products, 814
Scott, C. C., *see* McMillan, F. H., 578
Scott, M., Taub, A., and Piantadosi, C., a simplified assay of nux vomica tincture, 232
Scott, P. M., *see* Gale, L. E., 491
Scott, W. E., Doukas, H. M., and Schaffer, P. S., the use of sodium tetraphenylboron as a means of identifying and isolating alkaloids, 568
Seeberg, V. P., Hidalgo, J., Wilken, W., Beniams, H. N., and Lundblad, J., toxicity, skin irritant properties and absorption of N-*n*-butyl-3-phenylsalicylamide, 342
Seed, J. G., *see* Coulston, F., 716
Shafer, E. G., Wollish, E. G., and Engle, C. E., the "Roche" friabilator, 114
Shankman, S., *see* Sharp, G. S., 287
Sharp, G. S., Shankman, S., and Kendis, M. S., ion exchange resin dye compounds for use in indirect determination of gastric acidity, 287
Sheppard, H., D'Asaro, B., and Plummer, A. J., the detection of glutethimide (Doriden ®) and a metabolite in dog urine, 681
Sim, S. K., and Youngken, H. W., Jr., catecholase activity in tissue cultures of *Claviceps litoralis*, 779
Singh, K. P., *see* Agarwal, S. L., 655
—— *see* Basu, N. K., 595, 598
Skauen, D., *see* Misek, B., 56
Smissman, E. E., Graber, M. B., and Winzler, R. J., a note on the synthesis of pyrrole-2-carboxylic acid, 509
Socholitsky, I., *see* Zvirblis, P., 450
Soine, T. O., Abu-Shady, H., and DiGangi, F. E., a note on the isolation of bergapten and imperatorin from the fruits of *Pastinaca sativa* L., 426
—— *see* Rhodes, H. J., 746
Speaker, T. J., *see* Hager, G. P., 411
Sperandio, G. J., *see* Gerding, P. W., 188
Stapert, E., Goff, J. W., and Stubberfield, L., a vitamin B_{12} binding substance obtained from *L. Leichmannii* 7830, 309
Steinberg, N. G., *see* Baizer, M. M., 478
Stemler, F. W., *see* Cosmides, G. J., 16
Strickland, W. A., Jr., Busse, L. W., and Higuchi, T., the physics of tablet compression XI. Determination of porosity of tablet granulations, 482
—— Nelson, E., Busse, L. W., and Higuchi, T., the physics of tablet compression, IX. Fundamental aspects of tablet lubrication, 51
Stuart, D. M., and Parks, L. M., sabadilla alkaloids V. Vanilloylcevine, 252
Stubberfield, L., *see* Stapert, E., 309
Svoboda, G. R., polargraphic determination of pyrazinamide serum and plasma concentrations in the presence of isoniazid, 405
Swanson, E. E., Anderson, R. C., and Gibson, W. R., the pharmacology and toxicology of ethinamate, "Valmid" (Lilly), 40
—— *see* Powell, C. E., 785
Swintosky, J. V., illustrations and pharmaceutical interpretations of first order drug elimination rate from the bloodstream, 395
—— Rosen, E., Robinson, M. J., Chamberlain, R. E., and Guarini, J. R., suppression of penicillin G procaine solubility in aqueous media, 34; preparation of oral penicillin G procaine suspensions of extended shelf life, 37
Szalkowski, C. R., and Mader, W. J., determination of reserpine, 613
Szulczewski, D. H., Yunker, M., and Higuchi, T., physical chemical properties and ultraviolet spectral characteristics of amyl nitrite, 776

T

Taub, A., *see* Scott, M., 232
Tenebaum, L. E., *see* Anderson, F. E., 348
Thigpen, D., *see* Jones, P. S., 268
Tice, L. F., *see* Arnista, E. S., 45
Trabin, B., *see* Harrisson, J. W. E., 738
Tyler, V. E., Jr., *see* Demaree, G. E., 421

U

Urbach, K. F., *see* North, W. C., 382
Urdang, A., and Leuallen, E. E., the effect of *p*H upon the solubility of phenobarbital in alcohol-aqueous solutions, 525

V

Van Arsdel, W. C., III, and David, N. A., modification of morphine, *l*-isomethadone, *dl*-alpha acetylmethadol, and *n*-allylnormorphine constipation by Hydergine, 645
Van Camp, A., *see* Rose, H. A., 653
Van Gieson, P., *see* Chiccarelli, F. S., 418
VanMelle, P. J., a chemical method for vitamin B_{12} concentration in liver injection, 26
Vaughn, D. G., Jr., *see* Riegelman, S., 93

W

Walker, D. F., a note on the preparation of 4 - chloro - 2 - isopropyl - 5 - methylphenoxyacetamidine hydrochloride, 353
Wallace, W. J., *see* Conn, J. B., 311
Ward, J. W., and Hazleton, L. W., studies on rauserfia: A rauwolfia derivative, 305
Wassberg, C., and Goodrich, F. J., a study of the anatomical effects produced in the leaves of *Datura stramonium* L. by the action of 2,4 - dichlorophenoxyacetic acid, 495
Watson, N. E., and Reddish, G. F., selective media for study of the bacterial flora of the mouth following use of oral antiseptics, 678
Wenzel, D. G., and Emick, G. H., an investigation of triterpenes as steroid hormones, 284; antispasmodic and related pharmacological actions of some γ-arylpropylamines, 414
—— and Koff, G. Y., the effect of triterpenes on the excretion of sodium and potassium by rats, 372; anticonvulsant properties of some alkyldiols, alkyldiones and related compounds, 669
—— and Rosenberg, P., the evaluation of arsenic as an antiasthmatic I. Effect on experimental asthma of guinea pigs, 1. II. A study of possible mechanisms, 6; estrogenic activity of some flavonoids, 367
Wesselman, H. J., the colorimetric determination of peptic activity, 387
Wetherell, H. R., an "*o*-hydroquinone" analog of thyroxine, 704
Wilken, W., *see* Seeberg, V. P., 342
Williams, A. R., Hidalgo, J., and Halverstadt, I. F., the synthesis and pharmacology of some polymethylene bisonium compounds, 423
Wilson, C., *see* DeMerre, L. J., 129
Windheuser, J., and Cooper, J., the pharmaceutics of coating tablets by compression, 542
Wintera, E. P., and Deardorff, D. W., a note on zein as a film-type coating for medicinal tablets, 125
Winzler, R. J., *see* Smissman, E. E., 509
Wolff, J., *see* Banes, D., 708, 710
—— *see* Carol, J., 200
Wollish, E. G., *see* Shafer, E. G., 114
Wolman, W., *see* Hefferren, J. J., 564
Woolford, M. H., Jr., and Chiccarelli, F. S., the assay for tetracycline HCl and chlortetracycline HCl in tetracycline HCl, 400
—— *see* Chiccarelli, F. S., 418
Worton, A. G., *see* Engelhard, W. E., 402
Wotiz, J. H., *see* Hudak, E. S., 327
Wyzan, H. S., *see* McChesney, E. W., 640

Y

Yim, G. K. W., Gross, E. G., and Keasling, H. H., the hypotensive action of 1-phenyl-2-dimethylaminoethoxymethyl tetrazole hydrochloride (TT-209), 664

Young, J. C., and Guth, E. P., the effect of selected phenols on the formation of hydrogen peroxide by calamine liniment N. F. IX, 724

Youngken, H. W., observations on *Rauwolfia cambodiana*, 721

Youngken, H. W., Jr., *see* Andries, M. C., 70

—— *see* Sim, S. K., 779

Yunker, M., *see* Szulczewski, D. H., 776

Z

Zopf, L. C., *see* Aguilar, T. N., 498

—— *see* Blaug, S. M., 9

Zupko, A. G., an investigational study of hydroxy aluminum magnesium aminoacetate, a new antacid, 208

Zvirblis, P., Socholitsky, I., and Kondritzer, A. A., the kinetics of the hydrolysis of atropine, 450

SUBJECT INDEX

A

Absorption, toxicity, and skin irritant properties of N-*n*-butyl-3-phenylsalicylamide, 342

Acacia berlandieri, the isolation of N-methyl β-phenylethylamine from, 719

Acetal and ketal derivatives, cyclic, of some hydroxyl-containing compounds, the synthesis of some, 572

Acetoglycerides, studies on the toxicity of, 282

Acetophenetidin, caffeine, and acetylsalicylic acid mixtures, the colorimetric determination of the individual components of, 364

Acetylcholine, two cyclic analogs of, 197

Acetylenic carbinols, a pharmacological study of some, 801

***dl*-α-alpha-Acetylmethadol,** morphine, *l*-isomethadone, and *n*-allylnormorphine constipation, modification of, by Hydergine, 645

Acetylsalicylic acid, acetophenetidin and caffeine mixtures, the colorimetric determination of the individual components of, 364

C^{14} carboxyl, a method of synthesizing, 23

C^{14} carboxyl, a study of the carbon-14 content of blood after the oral administration of, to nonfevered and fevered rats, 667

C^{14} carboxylic, determination of the excretion and the tissue distribution of carboxyl carbon in the rat after administration of, 511

Acid, o-thymotic, a note on a dehydration product of, 764

thiophosphoric, a note on chemical constitution and biological activity of some derivatives of, 817

Acidity, gastric, ion exchange resin dye compounds for use in indirect determination of, 287

Acorus calamus L., a note on the preliminary studies of certain pharmacological actions of, 655

Actamer and tyrothricin, effect of, on oral microorganisms, 13

Activity-recording device, electronic, evaluation of substituted amides utilizing, 487

Addiction, drug, I. Addiction by escape training, 788

Alcohol-aqueous solutions, the effect of pH upon the solubility of phenobarbital in, 525

Alcohols, corresponding secondary, and α- and β-amino ketones, 440

Aldehydes, aliphatic, secondary amines, and 2-mercaptothiazoline, the condensation of, 531

α-amino, derivatives of, II. Semicarbazones, 742

Aliphatic aldehydes, 2-mercaptothiazoline, and secondary amines, the condensation of, 531

Alkali salts of organic acids, a note on the determination of some by ion exchange, 274

Alkaloid biosynthesis and relationships of tryptophane-nicotinic acid, in certain solanaceae, 70

cactus, pilocereine, 559

from *Rauwolfia canescens* (raunormine) 11-desmethoxyreserpine, a preliminary study of the pharmacology of II, 89

Alkaloidal crude drugs I. Cinchona and nux vomica, a new approach to the assay of, 74; II. Ipecac, 344

Alkaloids, four *Garrya*, pharmacological action of, 733

identifying and isolating, the use of sodium tetraphenylboron as a means of, 568

sabadilla, a note on. Cevadine, 433

sabadilla, V. Vanilloylcevine, 252

sabadilla, VI. Separation of veratridine and cevadine by countercurrent distribution. pH *vs.* partition coefficients, 549

of *Chelidonium majus*, L., leaves and stems I. *dl*-Tetrahydrocoptisine, 702

Alkanes, amino, and hydroxy amino alkanes, *alpha, omega*-diphenyl and *alpha, omega*-cyclohexylphenyl derivatives of, 65

Alkyldiols, alkyldiones and related compounds, anticonvulsant properties of some, 669

Alkyldiones, alkyldiols, and related compounds, anticonvulsant properties of some, 669

Alkyl ester acid addition and quaternary ammonium salts of alpha-(2-cycloalkenyl)-2-thienylacetic acids, further basic. Antispasmodics IV, 578

phosphates, two, the anticurare activity of, 592

Alloxan, metal chelates of, 699

n-Allylnormorphine, morphine, *l*-isomethadone, and *dl*-alpha-acetylmethadol constipation, modification of, by Hydergine, 645

Almond and corn oils for use in parenteral solutions, the stability of, 145

Aloe, aloe and cascara sagrada, a paper chromatographic study of, 229

cape, the effect of some selected surface-active agents on the extraction of, 370

Aloin, aloe, and cascara sagrada, a paper chromatographic study of, 229

***dl*-Alpha acetylmethadol,** morphine, *l*-isomethadone, and *n*-allylnormorphine constipation, modification of by Hydergine, 645

Alpha - (2 - cycloalkenyl) - 2 - thienylacetic acids, further basic alkyl ester acid addition and quaternary ammonium salts of. Antispasmodic IV, 578

Aluminum salts, some complex, a study of the antibacterial activity of, 498

sodium carbonate, dihydroxy, the antacid effect of, 21

Amebicidal, bacteriostatic, and fungistatic studies on the isomeric normal nonynoic acids, 327

Amides, some water-soluble, formation of molecular complexes by, I. Interaction of several amides with *p*-hydroxybenzoic acid, salicylic acid, chloramphenicol, and phenol, 518; II. Effect of decreasing water solubility on degree of complex formation, 810

substituted, evaluation of utilizing an electronic activity-recording device, 487

Amine derivatives of cyanuric chloride II. Amino esters, 461

methyl hexane, and 2-aminoheptane, assay of, in plastic inhalers by titration in glacial acetic acid, 454

Amines, secondary, 2-mercaptothiazoline, and aliphatic aldehydes, the condensation of, 531

Aminoacetate, hydroxyaluminum magnesium, a new antacid, an investigational study of, 208

Aminoacetic acid, elixir, the assay of, by nonaqueous titration, 672

Amino acid derivatives, sugar and, of aminosalicylic acids. Comparative activities and toxicities I, 30

Aminoalcohols, bicyclic, esters of, as potential antispasmodics I. The synthesis of 2-hydroxyoctahydro-quinolizine and some of its esters, 746

α-Amino aldehydes, derivatives of, II. Semicarbazones, 742

Amino esters. Amine derivatives of cyanuric chloride II, 461

Amino ethers, syntheses of, with potential pharmacological activity, 317

4-Aminoethylpiperidine derivatives, the ganglionic blocking activity of a series of, 727

2-Aminoheptane and methyl hexane amine, assay of, in plastic inhalers by titration in glacial acetic acid, 454

α- and β-Amino ketones and corresponding secondary alcohols, 440

Aminopropanes, 1-cycloalkyl-2-, and ethanes, 443

4-Aminoquinoline antimalarials, the determination of: revaluation of the induced fluorescence method, with specific application of hydroxychloroquine analysis, 640

p-Aminosalicylate, sodium, the relation between *in vitro* disintegration time of sugar-coated tablets and physiological availability of, 374
Aminosalicylic acids, sugar and amino acid derivatives. Comparative activities and toxicities I, 30
Amithiozone (Tibione) analogs, some, 729
Ammonia spirit, aromatic, a new approach to the chemistry of, 257
Ammonium salts, polymeric quaternary. The polymerization of pharmacophoric moities and its effect upon biologic activity I, 792
quaternary, further basic, alkyl ester acid addition and, of alpha-(2-cycloalkenyl)-2-thienylacetic acids. Antispasmodics IV, 578
Amyl nitrite, physical chemical properties and ultraviolet spectral characteristics of, 776
Analgesia, morphine, in the rat, the influence of glucose and insulin upon the, 60
in rats, the influence of various agents upon the intensity and duration of, 797
Analgetics, the effect of certain nonnarcotic, on diuresis and liver sulfhydryl concentration in the albino rat, 163
Anatomical effects produced in the leaves of *Datura stramonium* L. by the action of 2,4-dichlorophenoxyacetic acid, a study of, 495
Anatomy, the comparative, of certain species of *Smilax*, 691
Anesthetic, a new topical, antimicrobial properties of dyclonine hydrochloride, 320
local, effect of alteration of size of the aromatic dicarboxylic acid nucleus on activity of, 382
Anionic polyelectrolytes I, interaction studies of cationic drugs with: Sodium carboxymethylcellulose, 157
Antacid effect of dihydroxy aluminum sodium carbonate, 21
Antacid, a new, an investigational study of hydroxy aluminum magnesium aminoacetate, 208
Antacids, a comparative *in vivo* study of, I, 735
a comparative *in vivo* study of, II, 738
an *in vitro* study of. Methods and modifying factors, 564
Antiasthmatic, the evaluation of arsenic as an, I. Effect on experimental asthma of guinea pigs, I. II. A study of possible mechanisms, 6
Antibacterial activity, *in vitro*, of oils, 378
of bacitracin in ointments, the effect of various substances on, 141
of some complex aluminum salts, a study of, 498
Antibacterial agents in *Pseudomonas aeruginosa* contaminated ophthalmic solutions, 93
Antibiotics, comparative release of, from water-miscible-type and grease-type ointment bases, 538
and thyroid tissue slices, 189
neurotoxicity of, the goldfish as a potentially useful animal for testing, 181
Anticoagulant sulfuric acid esters of synthetic polyglucoses, 223
Anticonvulsant properties of some alkyldiols, alkyldiones and related compounds, 669
Anticurare activity of two alkyl phosphates, 592
Antigenicity and toxicity of beef trypsin, observations on the, 637
Antihistamines, the ion-exchange chromatographic determination of, 9
Antihistaminic substances, a pharmacologic study of combinations of, 225
Antihistaminics. Physical properties and pharmacological activity, 300
Antimalarials, 4-aminoquinoline, the determination of: revaluation of the induced fluorescence method, with specific application to hydroxychloroquinine analysis, 640
Antiseptic agent, evaluation of an iodonium compound as, 402
Antiseptic vehicles, the relative efficacy of various ointment bases as antiseptic vehicles, 5
Antiseptics, oral, selective media for study of the bacterial flora of the mouth following use of, 678
Antispasmodic and related pharmacological actions of some γ-arylpropylamines, 414
Antispasmodics, certain, the effect of on the oxygen uptake of rat jejunum and liver, 626
potential, esters of bicyclic aminoalcohols as, I. The synthesis of 2-hydroxyoctahydroquinolizine and some of its esters, 746
IV. Further basic alkyl ester acid addition and quaternary ammonium salts of alpha-(2-cycloalkenyl)-2-thienylacetic acids, 578
Antituberculous activity of some isonicotinic acid hydrazide congeners and derivatives, 348
Argentimetric potentiometric titration, analysis of phenobarbital in pharmaceuticals by, 185
Aromatic ammonia spirit, a new approach to the chemistry of, 257
Arsenic as an antiasthmatic, the evaluation of, I. Effect on experimental asthma of guinea pigs, I. II. A study of possible mechanisms, 6
Arylpolycarbamic acids, derivatives of, of pharmacologic interest, 411
γ-Arylpropylamines, some, antispasmodic and related pharmacological actions of, 414
Ascorbate solution, a comparison of the stability of cyanocobalamin and its analogs in, 806
Asthma of guinea pigs, effect on experimental. The evaluation of arsenic as an antiasthmatic I, 1
Atropine, kinetics of the hydrolysis of, 450

B

Bacitracin III. Formulatory characteristics of zinc bacitracin, 447
in ointments, the effect of various substances on antibacterial activity of, 141
Bacterial resistance studies involving several drugs useful in the treatment of urinary tract disease, 82
Bacteriostatic, fungistatic, and amebicidal studies on the isomeric normal nonynoic acids, 327
Barbituric acid derivatives, the use of microscopic and X-ray diffraction methods for the identification of, 585
Bases, weak acids and, calculations on the countercurrent separation of, 546
B-complex injectable solutions, studies relating to the stability of vitamin B_{12} in, 803
Beckman corex cells, a note on a plastic insert for adapting to microanalysis, 428
Beef trypsin, observations on the toxicity and antigenicity of, 637
Bergapten and imperatorin, a note on the isolation of, from the fruits of *Pastinaca sativa* L., 426
Betaine and choline, isolation of. Investigation of *Orthosiphon pallidus* Royle II, 598
Bile acids, paper chromatography of, II, 385
Biologic activity, the polymerization of pharmacophoric moities and its effect upon, I. Polymeric quaternary ammonium salts, 792
and chemical constitution of some derivatives of thiophosphoric acid, a note on, 817
Bisonium compounds, polymethylene, the synthesis and pharmacology of some, 423
Blocking activity, ganglionic, of a series of 4-aminoethylpiperidine derivatives, 727
Blood flow, peripheral, photometric technique for the quantitative measurement of changes in, 491
Bloodstream, first order drug elimination rate from, illustrations and pharmaceutical interpretations of, 395
Book Notices
Accidents Therapeutiques en Dermatologie, 510
Acridines. The Chemistry of Heterocyclic Compounds, 770
Actualités Pharmacologiques 509
Advances in Enzymology, 769
Alcoholism—Its Psychology and Cure, 582
The American Drug Index, 355
American Pharmacy. Textbook of Pharmaceutical Principles, 63
The Analysis of Drugs and Chemicals, 127
Biochemistry for Medical Students, 509
Biochemistry of the Developing Nervous System, 64
Biology of the Laboratory Mouse, 819
Blakiston's New Gould Medical Dictionary, 769
Blood Group Substances—Their Chemistry and Immunochemistry, 435
Le Cancer, 583
Catalysis. Vol. 4, 819
Chemical Tradenames and Commercial Synonyms, 64
The Chemistry and Technology of Waxes. New 2nd ed., 819
Classics of Biology, 128
The Complete Book of First Aid, 356
The Condensed Chemical Dictionary. 5th ed., 820
Contribution clinique a l'étude du Métabolisme du Cholestérol, 583
Currents in Biochemical Research 1956, 769
Czechoslovak Fine Chemicals Standards. Vol. 1, 820
Dictionary of Dietetics, 583
Directory American Council of Independent Laboratories, Inc. 6th ed., 820
Electrophorèse sur Papier, 583
Epitome of the Pharmacopeia of the United States and the National Formulary with Comments, 434
Essays in Biochemistry, 510
Essentials of Pharmacology, 3rd ed., 64
Every Other Bed, 820
The Examination of New Organic Compounds, 819
Exposés Annuels de Biochimie Médicale, 582
The Flavonoids in Biology and Medicine, 582
The Genus Nicotiana, 193
Handbook of Medical Library Practice, 435
Handbook of Poisons, 584
Hormones and the Aging Process, 658
Hydrogen Peroxide, 128
Introductory Organic Chemistry, 3rd ed., 712
The ISCC-NBC Method of Designating Colors and a Dictionary of Color Names, 63
Klinik und Therapie der Vergiftungen, 436
Kommentar zur Pharmacopoea Helvetica, 582
The Mathematics of Physics and Chemistry, 436
Mechanism of Organic Chemical Reactions, 510
Medical Parasitology, 584
1956 Medical Progress, 712
Medical Research—A Midcentury Survey, 191
Medicinal Chemistry. Vol. 2, 657
Medicinal Chemistry. Vol. 3, 657
The Merck Veterinary Manual, 127
Methoden der organischen Chemie. Vol. 3, Part 1, 434
Methoden der organischen Chemie. Vol. 3, Part 2, 127
Methoden der organischen Chemie. Vol. IX, 275
Methods for Determining Lead in Air and in Biological Materials, 355
Methods of Biochemical Analysis, 510
Modern Chemical Processes. Vol. 4, 819
New and Nonofficial Remedies 1956, 657
New Zealand Pollen Studies, 63
Očtování Proti Tuberukulose (Vaccination Against Tuberculosis), 583
Official Methods of Analysis of the Association of Official Agricultural Chemists, 8th ed., 126
Organic Chemistry, 3rd ed., 712
Organic Insecticides—Their Chemistry and Mode of Action, 128
Organic Syntheses. Vol. 35, 126

The Pharmacist in Retail Distribution, 190
Pharmacopoea Internationalis, 434
Plant Physiology, 584
The Preservation of Natural History Specimens, 192
Principles of Fungicidal Action, 658
Product Liability Cases, 434
Prufung und Verabeitung von Arzneidrogen. Erster Band, 126
Public Relations for the Pharmacist, 191
The Quantitative Analysis of Drugs, 193
Reagent Chemicals and Standards, 355
Recent Progress in Hormone Research, 190
Remington's Practice of Pharmacy, 192
Reports on the Progress of Applied Chemistry, 435
Resonance in Organic Chemistry, 192
A Short History of Medicine, 276
Synthetic Drugs, 582
The Systematic Identification of Organic Compounds, 435
Teeanalyse, 582
Tests and Standards for New and Nonofficial Remedies 1955 (Supplement to Tests and Standards 1953), 356
Textbook of Organic Medicinal and Pharmaceutical Chemistry, 769
A Textbook of Pharmacognosy, 510
Textbook of Pharmacognosy, 770
Therapy of Fungus Diseases, 583
The Year Book of Drug Therapy (1955–1956 Year Book Series), 276
(Bromomethyl) malonic ester, a note on a new method of preparation of, 430
Bronchodilator, 1-*o*-chlorophenyl-2-isopropylaminoethanol (Isoprophenamine), the pharmacological action of, 785
Bryophyllum calycinum Salisb., study of glycolic acid metabolism in, 295
B_{12} vitamin, studies relating to the stability of, in B-complex injectable solutions, 803
N-n-Butyl-3-phenylsalicylamide, toxicity, skin irritant properties and absorption of, 342

C

Cactus alkaloid, pilocereine, 559
Caffeine, acetophenetidin, and acetylsalicylic acid mixtures, the colorimetric determination of the individual components of, 364
stabilization of procaine with. Inhibition of hydrolysis of esters in solution by formation of complexes II, 290
Calamine liniment N. F. IX, the effect of selected phenols on the formation of hydrogen peroxide by, 724
Calcium methionate, a pharmacologic study of, 47
Cannula, indwelling, a note on, for intraventricular injection of drugs in the unanesthetized dog, 432
Cape aloe, the effect of some selected surface-active agents on the extraction of, 370
Carbinols, acetylenic, a pharmacological study of some, 801
Carbon, carboxyl, determination of the excretion and the tissue distribution of in the rat after administration of C^{14} carboxyl acetylsalicylic, acid, 511
disulfide, determination of, in its piperazine compounds, 535
Carbopol 934, pharmaceutical uses of, 56
Carboxymethylcellulose, sodium. Interaction studies of cationic drugs with anionic polyelectrolytes I, 157
Cascara sagrada, a study of the hydrolytic action of, 634
aloe, and aloin, a paper chromatographic study, 229
Castor oil, a note on the effect of Vitamin B_{12} on the unsaturated fatty acid content of, 347
Catecholase activity in tissue cultures of *Claviceps litoralis*, 779
Cationic drugs with anionic polyelectrolytes I, interaction studies of, 157
Cell, a new preparative, for high voltage electrophoresis, 456
Cells, Beckman corex, a note on a plastic insert for adapting to microanalysis, 428
Cevadine, A note on sabadilla alkaloids, 433
and veratridine, separation of, by countercurrent distribution. pH *vs.* partition coefficients. Sabadilla alkaloids VI, 549
Chelates, metal, of alloxan, 699
Chelating agents as color stabilizers for epinephrine hydrochloride solutions, 464
Chelidonium majus, L., leaves and stems, alkaloids of, I. *dl*-Tetrahydrocoptisine, 702
Cinchona and nux vomica, alkaloidal crude drugs I, a new approach to the assay of, 74
Chloral hydrate, a comparison of dichloralphenazone and, 137
Chloramphenicol, *p*-hydroxybenzoic acid, salicylic acid, and phenol, interaction of several amides with. Formation of molecular complexes by some water-soluble amides I, 518
2-Chloroethylamine, N-ethyl-N-1-naphthylmethyl-, polarography of the ethylidinium ion of, 530
4 - Chloro - 2 - isopropyl - 5 - methylphenoxyacetamidine hydrochloride, a note on the preparation of, 353
1 - *o* - Chlorophenyl - 2 - isopropylaminoethanol (Isoprophenamine) a bronchodilator, the pharmacological action of, 785
8 - Chlorotheophylline salts of some nitrogen bases, preparation and properties of, 178
Chlorotetracycline HCl and tetracycline HCl in tetracycline HCl, the assay for, 400
fluorometric assay for, and the determination of tetracycline HCl in chlortetracycline HCl, 418
Choline and betaine, isolation of. Investigation of *Orthosiphon pallidus* Royle II, 598
Chromatographic analysis, the determination of free menthol in peppermint oil by, 713
ion-exchange, determination of antihistamines, 9
separation and analysis of naphazoline and its hydrolytic degradation products, 814
separation of morphine from its degradation products, 611
study, paper, of aloe, aloin, and cascara sagrada, 229
Chromatography, paper, of bile acids II, 385
Cinchona succirubra, extraction of with tetrahydrofuran and its mixtures, 242
ultrasonic extraction of, 239
Citric acid, synthesis of isoniazid from, 478
Claviceps litoralis, catecholase activity in tissue cultures of, 779
purpurea (Fries) Tulasne, a note on the metabolism of lysergic acid by, 428
Closures, rubber, for injections, sorption of water by, I. Effect of inorganic salts, 758
Coating tablets by compression, the pharmaceutics of, 542
Cocoa syrups for masking the taste of quinine hydrochloride, the use of, 151
for taste preference, a study of, 160
Collyria, evaluation of by the rabbit eye method, 474
Color stabilizers, chelating agents as, for epinephrine hydrochloride solutions, 464
Colorimetric comparison of plasma-salicylate levels following the oral administration of certain salicylates to rabbits, 16
determination of peptic activity, 387
Complex formation, effect of decreasing water solubility on degree of. Formation of molecular complexes by some water-soluble amides II, 810
Complexes, molecular, formation of, by some water-soluble amides II. Effect of increasing water solubility on degree of complex formation, 810
CON structure, glycolysis inhibitors among compounds containing the, 389
Corex cells, Beckman, a note on a plastic insert for adapting to microanalysis, 428
Corn oils for use in parenteral solutions, the stability of almond and, 145
Cornea, the effect of methylcellulose on the penetration of homatropine hydrobromide through the, 334
Cottonseed oil, hydrogenated, and hexadienol, the use of as suppository bases, 86
Countercurrent separation of weak acids and bases, calculations on the, 546
Crystallography of *l*-isomethadone hydrochloride hydrate, a note on the, 653
Cultures, tissue, of *Claviceps litoralis*, catecholase activity in, 779
Cyanocobalamin, a comparison of the stability of, and its analogs in ascorbate solution, 806
Cyanuric chloride, amine derivatives of, II. Amino esters, 461
(2-Cycloalkenyl)-2-thienylacetic acids, alpha-, further basic alkyl ester acid addition and quaternary ammonium salts of. Antispasmodics IV, 578
1-Cycloalkyl-2-aminopropanes and ethanes, 443

D

Datura stramonium L, a study of the anatomical effects produced in the leaves of, by the action of 2,4-dichlorophenoxyacetic acid, 495
Dehydroacetate, sodium, and sodium N-lauroyl sarcosinate, the effect of on the enzymes of the gastrointestinal tract, 675
11-Desmethoxyreserpine (Raunormine), an alkaloid from *Rauwolfia canescens* a preliminary study of the pharmacology of II, 89
Diacylimines, some, synthesis of, 480
Dicarboxylic acid nucleus, aromatic, effect of alteration of size of on local anesthetic activity, 382
Dichloralphenazone and chloral hydrate, a comparison of, 137
2,4-Dichlorophenoxyacetic acid, a study of the anatomical effects produced in the leaves of *Datura stramonium* L. by the action of, 495
Digitalis lanata, tigogenin from, a note on, 581
studies by the U. S. P. XIV method of assay I. Seasonal variation in response of the pigeon to digitalis, 248
studies by the U. S. P. XIV method of assay II. Stability of crude digitalis leaf, 250
Digitoxin tablets, a comparison of methods of assay of, 98
Dihydroxy aluminum sodium carbonate, the antacid effect of, determined in gastric-fistula dog, 21
2 - Dimethylaminoethoxymethyl, 1-phenyl, tetrazole hydrochloride (TT-209), the hypotensive action of, 664
Disintegration time, *in vitro*, of sugar-coated tablets and physiological availability of sodium *p*-aminosalicylate, the relation between, 374
Dispersible or water-soluble pills, production of by the drop method, 618
Diuresis and liver sulfhydryl concentration in the albino rat, the effect of certain nonnarcotic analgetics on, 163
(Doriden ®), glutethimide, and a metabolite in dog urine, the detection of, 681
Drop method, production of water-soluble or dispersible pills by the, 618
recording, an improved method for, 767
Drug addiction I. Addiction by escape training, 788
Dryopteris hexagonoptera Michaux, a phytochemical investigation of, 325
Dyclonine hydrochloride, a new topical anesthetic, antimicrobial properties of, 320
Dye compounds, ion exchange resin, for use in indirect determination of gastric acidity, 287

E

Electronic activity recording device, evaluation of substituted amides utilizing, 487

Electrophoresis, high voltage, a new preparative cell for, 456

Elimination rate, first order drug, from the bloodstream, illustrations and pharmaceutical interpretations of, 395

Emetine, effect of, upon rat heart respiration, 562

Emulsifiers, various, including polyoxyethylene sorbitan monostearate (Tween 60), the evaluation of, for parenteral fat emulsions, 685

Emulsifying agents, nonionic, a study of the effect of, on the release of medication from hydrophilic ointment bases, 527

Emulsions, parenteral fat, the evaluation of various emulsifiers including polyoxyethylene sorbitan monostearate (Tween 60) for, 685

pharmaceutical, a study of some factors influencing the stability of, I. The effect of two-stage high pressure homogenization, 105

pharmaceutical, a study of some factors influencing the stability of, II. The effect of wax and specific gravity adjustment, 110

Epinephrine hydrochloride solutions, chelating agents as color stabilizers for, 464

(±), analogs of, 437

Epinephrines, acute toxicity of. A note on pressor drugs VI, 431

Escape training, addiction by. Drug addiction I, 788

Esters, amino. Amine derivatives of cyanuric chloride II, 461

inhibition of hydrolysis of, in solution by formation of complexes II. Stabilization of procaine with caffeine, 290

p-hydroxybenzoic, as preservatives II. Acute and chronic toxicity in dogs, rats, and mice, 260

p-hydroxybenzoic, as preservatives III. The physiological disposition of *p*-hydroxybenzoic acid and its esters, 268

of bicyclic aminoalcohols as potential antispasmodics I. The synthesis of 2-hydroxyoctahydroquinolizine and some of its esters, 746

of synthetic polyglucoses, anticoagulant sulfuric acid, 223

Estrogenic activity of some flavonoids, 367

Ethanes and 1-cycloalkyl-2-aminopropanes, 443

Ethers, amino, syntheses of, with potential pharmacological activity, 317

Ethinamate (Valmid, Lilly), the pharmacology and toxicology of, 40

N - Ethyl - N - 1 - naphthylmethyl - 2-chloroethylamine, polarography of the ethylidinium ion of, 530

Ethylidinium ion of N-ethyl-N-1-naphthylmethyl - 2 - chloroethylamine, polarography of the, 530

Excretion and tissue distribution of carboxyl carbon, determination of, in the rat, after administration of C^{14} carboxyl acetylsalicylic acid, 511

F

Fat emulsions, parenteral, the evaluation of various emulsifiers including polyoxyethylene sorbitan monostearate (Tween 60) for, 685

Flavonoids, some estrogenic activity of, 367

Fluorescence, induced, method, revaluation of, with specific application to hydroxychloroquine analysis: the determination of 4-aminoquinoline antimalarials, 640

Fluorometric assay for chlortetracycline HCl and the determination of tetracycline HCl in chlortetracycline HCl, 418

Friabilator, the "Roche," 114

Fungistatic, bacteriostatic, and amebicidal studies on the isomeric normal nonynoic acids, 327

G

Ganglionic blocking activity of a series of 4-aminoethylpiperidine derivatives, 727

Garrya alkaloids, four, pharmacological action of, 733

Gastric acidity, ion exchange resin dye compounds for use in indirect determination of, 287

Gastric-fistula-dog, the antacid effect of dihydroxy aluminum sodium carbonate as determined by the, 21

Gels, hydrocarbon, properties of. Modern ointment base technology I, 101

Gentiopicrin, studies on, 522

Glucose and insulin pretreatment upon morphine analgesia in the rat, the influence of, 60

Glutethimide (Doriden ®) and a metabolite in dog urine, the detection of, 681

Glycolic acid metabolism, study of, in *Bryophyllum calycinum* Salisb., 295

Glycols, polyethylene, polyvinylpyrrolidone, and polypropylene glycols, the interaction of some phenolic compounds with. Possible complex formation between macromolecules and certain pharmaceuticals X, 659

polypropylene, polyethylene glycols, and polyvinylpyrrolidone, the interaction of some phenolic compounds with. Possible complex formation between macromolecules and certain pharmaceuticals X, 659

Glycolysis inhibitors among compounds containing the CON structure, 389

Goldfish as a potentially useful animal for testing neurotoxicity of antibiotics, 181

Granulations, tablet, determination of porosity of. The physics of tablet compression XI, 482

H

Hardness, tablet, a note on, 354

Hexachlorophene, determination of, in liquid soaps, 313

Hexadienol and hydrogenated cottonseed oil, the use of, as suppository bases, 86

Hexane amine, methyl, and 2-aminoheptane, assay of, in plastic inhalers by titration in glacial acetic acid, 454

Homatropine hydrobromide, the effect of methylcellulose on the penetration of through the cornea, 334

Homogenization, two-stage high pressure, the effect of. A study of some factors influencing the stability of pharmaceutical emulsions I, 105

Hordenine, accumulation of, in the seedlings of *Panicum miliaceum*, 421

Hormones, steroid, an investigation of triterpenes as, 284

Hydrazide, isonicotinic acid, congeners and derivatives, the antituberculous activity of, 348

Hydrocarbon gels, properties of. Modern ointment base technology I, 101

Hydrogen peroxide, the effect of selected phenols on the formation of, by calamine liniment N. F. IX, 724

Hydrogenated cottonseed oil and hexadienol, the use of as suppository bases, 86

Hydrolysis, inhibition of, of esters in solution by formation of complexes II. Stabilization of procaine with caffeine, 290

of atropine, kinetics of, 450

Hydrophilic ointment bases, a radioactive tracer technique for determining the release of medication from, 601

a study of the effect of nonionic emulsifying agents on the release of medication from, 527

o-**Hydroquinone** analog of thyroxine, 704

Hydroxy aluminum magnesium aminoacetate, a new antacid, an investigational study of, 208

p-**Hydroxybenzoic** acid esters as preservatives II. Acute and chronic toxicity in dogs, rats, and mice, 260

acid esters as preservatives III. The physiological disposition of *p*-hydroxybenzoic acid and its esters 268

salicylic acid, chloramphenicol, and phenol, interaction of several amides with. Formation of molecular complexes by some water-soluble amides I, 518

Hydroxychloroquine analysis, revaluation of the induced fluorescence method, with specific application to: the determination of 4-aminoquinoline antimalarials, 640

Hydroxyl-containing compounds, some, the synthesis of some cyclic acetal and ketal derivatives of, 572

2 - Hydroxyoctahydroquinolizine, the synthesis of, and some of its esters. Esters of bicyclic aminoalcohols as potential antispasmodics I, 746

Hypotensive action of 1-phenyl-2-dimethylaminoethoxymethyl tetrazole hydrochloride (TT-209), 664

I^{131} **labeled iodoform,** a note on an electrolytic synthesis of, 188

Imperatorin and bergapten, a note on the isolation of, from the fruits of *Pastinaca sativa* L., 426

Inhalers, plastic, assay of 2-aminoheptane and methyl hexane amine in, by titration in glacial acetic acid, 454

Inhibition of hydrolysis of esters in solution by formation of complexes II. Stabilization of procaine with caffeine, 290

Inhibitors, glycolysis, among compounds containing the CON structure, 389

Injectable solutions, B-complex, studies relating to the stability of vitamin B_{12} in, 803

Injections, sorption of water by rubber closures for, I. Effect of inorganic salts, 758

Inorganic salts, effect of. Sorption of water by rubber closures for injections I, 758

Insulin pretreatment upon morphine analgesia in the rat, the influence of glucose and, 60

Intraventricular injection of drugs in the unanesthetized dog, a note on an indwelling cannula for, 432

Iodine, radioactive, in pharmaceutical science, 500

Iodoform, I^{131} labeled, a note on an electrolytic synthesis of, 188

Iodonium compound as an antiseptic agent, evaluation of, 402

Ion-exchange chromatographic determination of antihistamines, 9

a note on the determination of some alkali salts of organic acids by, 274

resin dye compounds for use in indirect determination of gastric acidity, 287

Iontophoretic device, improved, a note on, 818

Ipecac, a new approach to the assay of alkaloidal crude drugs II, 344

l-**Isomethadone,** *dl*-alpha acetylmethadol, morphine, and *n*-allylnormorphine constipation, modification of, by Hydergine, 645

hydrochloride hydrate, a note on the crystallography of, 653

Isoniazid, polarographic determination of pyrazinamide serum and plasma concentrations in the presence of, 405

synthesis of, from citric acid, 478

Isonicotinic acid hydrazide congeners and derivatives, the antituberculous activity of, 348

(**Isoprophenamine**) 1-*o*-chlorophenyl-2-isopropylaminoethanol, a bronchodilator, the pharmacological action of, 785

2 - Isopropyl - 5 - methylphenoxyacetamidine, 4 - chloro -, hydrochloride, a note on the preparation of, 353

2-Isopropylaminoethanol, 1 - *o* - chlorophenyl, (Isoprophenamine), a bronchodilator, the pharmacological action of, 785

J

Jejunum and liver, rat, the effect of certain antispasmodics on the oxygen uptake of, 626

K

Ketal and acetal derivatives, cyclic, of some hydroxyl- containing compounds, the synthesis of some, 372
Ketones, α- and β-amino, and corresponding secondary alcohols, 440
Kidney pigmentation, the relationship of psyllium seed and various fractions of the seed to, 716

L

Lactose, interference of, in the determination of succinylsulfathiazole, 446
Lathyrus pusillus (Singletary pea), the toxic component of, 236
N-Lauroyl sarcosinate, sodium, and sodium dehydroacetate, the effect of on the enzymes of the gastrointestinal tract, 675
Laxative drugs, synthetic, 650
Liniment, calamine, N. F. IX, the effect of selected phenols on the formation of hydrogen peroxide by, 724
Lipids, a general study of the effects of, upon the quantity of peroxides produced by photosensitized zinc oxide, 696
Liver and jejunum, rat, the effect of certain antispasmodics on the oxygen uptake of, 626
injection, a chemical method for vitamin B_{12} concentration in, 26
sulfhydryl concentration and diuresis in the albino rat, the effect of certain nonnarcotic analgetics on, 163
L. Leichmannii 7830, a vitamin B_{12} binding substance obtained from, 309
Local anesthetic activity, effect of alteration of size of the aromatic dicarboxylic acid nucleus on, 382
Lysergic acid, a note on the metabolism of, by *Claviceps purpurea* (Fries) Tulasne, 428

M

Macromolecules, possible complex formation between, and certain pharmaceuticals X. The interaction of some phenolic compounds with polyethylene glycols, polypropylene glycols, and polyvinylpyrrolidone, 659
Malonic ester (bromomethyl), a note on a new method of preparation of, 430
Melting range of succinylcholine chloride, a note on, 508
Menthol, free, the determination of, in peppermint oil by chromatographic analysis, 713
2-Mercaptothiazoline, aliphatic aldehydes, and secondary amines, the condensation of, 531
Metabolism, glycolic acid, study of, in *Bryophyllum calycinum* Salisb., 295
of lysergic acid by *Claviceps purpurea* (Fries) Tulasne, a note on, 428
Metabolite and glutethimide (Doriden®) in dog urine, the detection of, 681
Methionate, calcium, a pharmacologic study of, 47
3-Methoxy-1-propanol hydrochloride, 1-phenyl-2-amino- and related compounds, 219
N-Methyl β-phenylethylamine, the isolation of, from *Acacia berlandieri*, 719
Methylcellulose, the effect of on the penetration of homatropine hydrobromide through the cornea, 334
Methyl hexane amine and 2-aminoheptane, assay of, in plastic inhalers by titration in glacial acetic acid, 454
5-Methylphenoxyacetamidine, 4-chloro-2-isopropyl hydrochloride, a note on the preparation of, 353
(2-Methylpropyl, 2-nitro)-sulfite, bis-, preparation of, 570
Microanalysis, a note on a plastic insert for adapting Beckman corex cells to, 428
Molecular complexes, formation of, by some water-soluble amides I. Interaction of several amides with *p*-hydroxybenzoic acid, salicylic acid, chloramphenicol, and phenol, 518
formation of, by some water-soluble amides II. Effect of increasing water solubility on degree of complex formation, 810
Morphine analgesia in rats, the influence of various agents upon the intensity and duration of, 797
analgesia in the rat, the influence of glucose and insulin pretreatment upon the, 60
l-isomethadone, *dl*-alpha acetylmethadol, and *n*-allylnormorphine constipation, modification of, by Hydergine, 645
the chromatographic separation of, from its degradation products, 611
Multivitamin preparations, liquid, vitamin stability in: Prediction of stability in pharmaceutical preparations, II, 171
different, comparison of vitamin stabilities in. Prediction of stability in pharmaceutical preparations III, 470
Muscle relaxant effectiveness and toxicity in rabbits, comparison of aqueous and repository tubocurarine for, 330

N

Naphazoline and its hydrolytic degradation products, chromatographic separation and analysis of, 814
Naphthylmethyl, N-1-, -2-chloroethylamine, N-ethyl-, polarography of the ethylidinium ion of, 530
Neurotoxicity of antibiotics, the goldfish as a potentially useful animal for testing, 181
(2 - Nitro - 2 - methylpropyl) - sulfite, bis-, preparation of, 570
Nitrogen bases, 8-chlorotheophylline salts of some, preparation and properties of, 178
Nonionic emulsifying agents, a study of the effect of, on the release of medication from hydrophilic ointment bases, 527
Nonynoic acids, isomeric normal, fungistatic, bacteriostatic, and amebicidal studies on, 327
Nuclear explosions, the exposure of drugs to the effects of, 357
Nu Film starch, some properties and uses of, 753
Nux vomica and cinchona, alkaloidal crude drugs I. A new approach to the assay of, 74
tincture, a simplified assay of, 232

O

1 - *o* - Chlorophenyl- 2 - isopropylaminoethanol (Isoprophenamine) a bronchodilator, the pharmacological action of, 785
"*o*-Hydroquinone" analog of thyroxine, 704
Oils, *in vitro* antibacterial activity of, 378
Ointment base technology, modern I. Properties of hydrocarbon gels, 101
modern II. Comparative evaluation of bases, 212
Ointment bases, hydrophilic, a radioactive tracer technique for determining the release of medication from, 601
hydrophilic, a study of the effect of nonionic emulsifying agents on the release of medication from, 527
water-miscible-type and grease-type, comparative release of antibiotics from, 538
Ointments, the effect of various substances on antibacterial activity of bacitracin in, 141
Ophthalmic solutions, *Pseudomonas aeruginosa* contaminated, antibacterial agents in, 93
Ophthalmic vehicles: The effect of methylcellulose on the penetration of homatropine hydrobromide through the cornea, 334
Oral antiseptics, selective media for study of the bacterial flora of the mouth following use of, 678
Orthosiphon pallidus Royle I, investigation of. Preliminary chemical study and isolation of "Orthosiphonol," 595
Royle II, investigation of. Isolation of choline and betaine, 598
"Orthosiphonol," preliminary chemical study and isolation of. Investigation of *Orthosiphon pallidus* Royle I, 595
Oxygen uptake of inflamed tissue, the effect of prednisolone and prednisone on the, 808
of rat jejunum and liver, the effect of certain antispasmodics on the, 626

P

Panicum miliaceum, the accumulation of hordenine in the seedlings of, 421
Paper chromatography of bile acids II, 385
Paper chromatographic study of aloe, aloin, and cascara sagrada, 229
Parenteral fat emulsions, the evaluation of various emulsifiers including polyoxyethylene sorbitan monostearate (Tween 60) for, 685
solutions, the stability of almond and corn oils for use in, 145
solvent systems, determination of solubility of sulfadiazine sodium as a function of *p*H in. Study of stability of sulfadiazine sodium injection I, 608
Partition coefficients, *p*H ††. Separation of veratridine and cevadine by countercurrent distribution. Sabadilla alkaloids VI, 549
PAS, sodium PAS, and some commercial preparations, the nonaqueous titration of, 556
Pastinaca sativa L., fruits of, a note on the isolation of bergapten and imperatorin from, 426
Pectin pastes, a note on the antiseptic value of, 350
Penicillin G procaine solubility in aqueous media, suppression of, 34
suspensions of extended shelf life, preparation of oral, 37
Peppermint oil, the determination of free menthol in, by chromatographic analysis, 713
Peptic activity, the colorimetric determination of, 387
Peripheral blood flow, photometric technique for the quantitative measurement of changes in, 491
Peroxide, hydrogen, the effect of selected phenols on the formation of, by calamine liniment N. F. IX, 724
Peroxides produced by photosensitized zinc oxide, a general study of the effects of lipids upon the quantity of, 696
Pharmacophoric moities, the polymerization of, and its effect upon biologic activity I. Polymeric quaternary ammonium salts, 792
Phenobarbital, a study of a radiometric analysis of, 623
the effect of *p*H upon the solubility of, in alcohol-aqueous solutions, 525
in pharmaceuticals, analysis of by argentimetric potentiometric titration, 185
Phenol, *p*-hydroxybenzoic acid, salicylic acid, and chloramphenicol, interaction of several amides with. Formation of molecular complexes by some water-soluble amides I, 518
Phenolic compounds, the interaction of some with polyethylene glycols, polypropylene glycols, and polyvinylpyrrolidone. Possible complex formation between macromolecules and certain pharmaceuticals X, 659
Phenols, selected, the effect of on the formation of hydrogen peroxide by calamine liniment N. F. IX, 724
1 - Phenyl - 2 - amino - 3 - methoxy - 1-propanol hydrochloride and related compounds, 219
- 2 - dimethylaminoethoxymethyl tetrazole hydrochloride (TT-209), the hypotensive action of, 664

β-Phenylethylamine, N-methyl, the isolation of, from *Acacia berlandieri*, 719
3-Phenylsalicylamide, N-*n*-butyl, toxicity, skin irritant properties, and absorption of, 342
3-, 4-, and 5-Phenylsalicylamides, derivatives of, 277
Phosphates, two alkyl, the anticurare activity of, 592
Photolysis of vitamin B_{12}, 129
Photometric technique for the quantitative measurement of changes in peripheral blood flow, 491
Photosensitized zinc oxide, a general study of the effects of lipids upon the quantity of peroxides produced by, 696
Physics of tablet compression XI. Determination of porosity of tablet granulations, 482
Pigmentation, kidney, the relationship of psyllium seed and various fractions of the seed to, 716
Pills, water-soluble or dispersible, production of, by the drop method, 618
Pilocereine, a cactus alkaloid, 559
Pines, composition of gum turpentines of, XXV. A report on two white pines: *Pinus koraiensis* from Korea and *P. peuce* from Macedonia, 77
XXVI. A report on *Pinus lawsoni* and *P. herrerai* from Michoacan, Mexico, and *P. ponderosa* from the California coast, 153
XXVII. A report on three Mexican pines: *Pinus pringlei* and *P. michoacana* from Michoacan and *P. arizonica* from Chihuahua, 167
XXVIII. A report on *Pinus edulis* from eastern Arizona, *P. tropicalis* from Cuba, and *P. eliottii* var. *densa* from Florida, 629
Pinus arizonica from Chihuahua and *P. michoacana* and *P. pringlei* from Chihuahua, a report on three Mexican pines: turpentine, gum, of pines XXVII, composition of, 167
edulis from eastern Arizona, *P. tropicalis* from Cuba, and *P. eliottii* var. *densa* from Florida, a report on. Composition of gum turpentines of pines XXVIII, 629
eliottii var. *densa* from Florida, *P. tropicalis* from Cuba, and *Pinus edulis* from eastern Arizona, a report on. Composition of gum turpentines of pines XXVIII, 629
herrerai and *P. lawsoni* from Michoacan, Mexico, and *P. ponderosa* from the California coast, a report on: turpentine, gum, of pines XXVI, composition of, 153
koraiensis from Korea and *P. peuce* from Macedonia, a report on two white pines: turpentine, gum, of pines XXV, composition of, 77
lawsoni, and *P. herrerai* from Michoacan, Mexico, and *P. ponderosa* from the California coast, a report on: turpentine, gum, of pines XXVI, composition of, 153
michoacana and *P. pringlei* from Michoacan and *P. arizonica* from Chihuahua: A report on three Mexican pines: turpentine, gum, of pines XXVII, composition of, 167
peuce from Macedonia and *Pinus koraiensis* from Korea, a report on two white pines: turpentine, gum, of pines XXV, composition of, 77
ponderosa from the California coast, *P. lawsoni* and *P. herrerai* from Michoacan, Mexico, a report on: turpentine, gum, of pines XXVI, composition of, 153
pringlei and *P. michoacana* from Michoacan and *P. arizonica* from Chihuahua: A report on three Mexican pines: turpentine, gum, of pines XXVII, composition of, 167
tropicalis from Cuba, *Pinus edulis* from eastern Arizona, and *P. eliottii* var. *densa* from Florida, a report on. Composition of gum turpentines of pines XXVIII, 629
Piperazine compounds, carbon disulfide in its, determination of, 535
Plasma and serum concentrations, pyrazinamide, polarographic determinations of in the presence of isoniazid, 405
-salicylate levels following the oral administration of certain salicylates to rabbits, a colorimetric comparison of, 16
Plastic inhalers, assay of 2-aminoheptane and methyl hexane amine in, by titration in glacial acetic acid, 454
insert for adapting Beckman corex cells to microanalysis, a note on, 428
Polarographic determination of pyrazinamide serum and plasma concentrations in the presence of isoniazid, 405
Polarography of the ethylidinium ion of N'-ethyl-N-1-naphthylmethyl-2-chloroethylamine, 530
Polyelectrolytes, anionic interaction studies of cationic drugs with. I. Sodium carboxymethylcellulose, 157
Polyethylene glycols, polypropylene glycols, and polyvinylpyrrolidone, the interaction of some phenolic compounds with. Possible complex formation between macromolecules and certain pharmaceuticals X, 659
Polyglucoses, synthetic, anticoagulant sulfuric acid esters of, 223
Polymeric quaternary ammonium salts. The polymerization of pharmacophoric moities and its effect upon biologic activity I, 792
Polymethylene bisonium compounds, some, the synthesis and pharmacology of, 423
Polyoxyethylene sorbitan monostearate (Tween 60), the evaluation of various emulsifiers including, for parenteral fat emulsions, 685
Polypropylene glycols, polyethylene glycols, and polyvinylpyrrolidone, the interaction of some phenolic compounds with. Possible complex formation between macromolecules and certain pharmaceuticals X, 659
Polyuronide of sapote gum, pharmaceutical and toxicological studies on, 134
Polyvinylpyrrolidone, polyethylene glycols, and polypropylene glycols, the interaction of some phenolic compounds with. Possible complex formation between macromolecules and certain pharmaceuticals X, 659
Porosity of tablet granulations, determination of. The physics of tablet compression XI, 482
Potassium and sodium, the effect of triterpenes on the excretion of by rats, 372
levels, "free and bound," effect of hyperthermic shock on, 116
Potentiometric titration, argentimetric, analysis of phenobarbital in pharmaceuticals by, 185
Prednisolone and predisone, the effect of, on the oxygen uptake of inflamed tissue, 808
Predisone and prednisolone, the effect of, on the oxygen uptake of inflamed tissue, 808
Preservatives, *p*-hydroxybenzoic acid esters as, II. Acute and chronic toxicity in dogs, rats, and mice, 260
p-hydroxybenzoic acid esters as, III. The physiological disposition of *p*-hydroxybenzoic acid and its esters, 268
various, the effect on microorganisms isolated from deteriorated syrups, 204
Pressor drugs, a note on, VI. Acute toxicity of epinephrines, 431
Procaine, stabilization of, with caffeine. Inhibition of hydrolysis of esters in solution by formation of complexes II, 290
1-Propanol hydrochloride, 1-phenyl-2-amino-3-methoxy- and related compounds, 219
Pseudomonas aeruginosa contaminated ophthalmic solutions, antibacterial agents in, 93
Psyllium seed and various fractions of the seed, the relationship of to kidney pigmentation, 716
Pyrazinamide serum and plasma concentrations, polarographic determination of in the presence of isoniazid, 405
Pyrrole-2-carboxylic acid, a note on the synthesis of, 509

Q

Quaternary ammonium salts of alpha (2-cycloalkenyl)-2-thienylacetic acids, further basic alkyl ester acid addition and. Antispasmodics IV, 578
polymeric. The polymerization of pharmacophoric moities and its effect upon biologic activity I, 792
Quinine hydrochloride, the use of cocoa syrups for masking the taste of, 151

R

Radioactive iodine in pharmaceutical science, 560
tracer technique for determining the release of medication from hydrophilic ointment bases, 601
Radiometric analysis of phenobarbital, a study of a, 623
Raunormine, 11-desmethoxyreserpine, an alkaloid from *Rauwolfia canescens* II, a preliminary study of the pharmacology of, 89
Rauserfia, a rauwolfia derivative, studies on, 305
Rauwolfia cambodiana, observations on, 721
canescens, an alkaloid from, (Raunormine) 11-desmethoxyreserpine, a preliminary study of the pharmacology of, II 89
derivative, studies on rauserfia, 305
serpentina preparations, the assay of, 708
serpentina preparations, the chemical evaluation of, 200
Recording device, activity, electronic, evaluation of substituted amides utilizing, 487
Reserpine, determination of, 613
pharmaceutical aspects of, 771
preparations, the oxidative degradation of, 710
Resin dye compounds, ion exchange, for use in indirect determination of gastric acidity, 287
Rheological property of ointments, the measurement of consistency as, 121
Rubber closures for injections, sorption of water by, I. Effect of inorganic salts, 758

S

Sabadilla alkaloids, a note on. Cevadine, 433
V. Vanilloylcevine, 252
VI. Separation of veratridine and cevadine by countercurrent distribution, *p*H *vs.* partition coefficients, 549
Salicylamide, derivatives of, 514
Salicylates, a colorimetric comparison of plasma-salicylate levels following the oral administration of certain, to rabbits, 16
Salicylic acid, *p*-hydroxybenzoic acid, chloramphenicol, and phenol, interaction of several amides with. Formation of molecular complexes by some water-soluble amides I, 518
Sapote gum, pharmaceutical and toxicological studies on the polyuronide of, 134
Sarcosinate, N-lauroyl, sodium, and sodium dehydroacetate, the effect of on the enzymes of the gastrointestinal tract, 675
Semicarbazones. Derivatives of α-amino aldehydes II, 742
Serum and plasma concentrations, pyrazinamide, polarographic determinations of in the presence of isoniazid, 405
Shelf life, extended, preparation of oral penicillin G procaine suspensions of, 37
Shock, hyperthermic, on "free and bound" potassium levels, effect of, 116
Singletary pea (*Lathyrus pusillus*), the toxic component of, 236
Skin irritant properties, toxicity, and absorption of N-*n*-butyl-3-phenylsalicylamide, 342

Smilax, the comparative anatomy of certain species of, 691
Soaps, liquid, determination of hexachlorophene in, 313
Sodium and potassium, the effect of triterpenes on the excretion of by rats, 372
carboxymethylcellulose: Interaction studies of cationic drugs with anionic polyelectrolytes I, 157
dehydroacetate and sodium N-lauroyl sarcosinate, the effect of on the enzymes of the gastrointestinal tract, 675
N-lauroyl sarcosinate and sodium dehydroacetate, the effect of on the enzymes of the gastrointestinal tract, 675
p-aminosalicylate, the relation between *in vitro* disintegration time of sugar-coated tablets and physiological availability of, 374
tetraphenylboron, the use of as a means of identifying and isolating alkaloids, 568
Solanaceae, the tryptophane-nicotinic acid relationships and alkaloid biosynthesis in certain, 70
Solubility of phenobarbital, the effect of *p*H upon, in alcohol-aqueous solutions, 525
of strychnine in alcohol and water mixtures, 351
of sulfadiazine sodium, determination of, as a function of *p*H in several parenteral solvent systems. Study of stability of sulfadiazine sodium injection I, 608
water, effect of decreasing, on degree of complex formation. Formation of molecular complexes by some water-soluble amides II, 810
penicillin G procaine, suppression of, in aqueous media, 34
Solution, ascorbate, a comparison of the stability of cyanocobalamin and its analogs in, 806
Solutions, B-complex injectable, studies relating to the stability of vitamin B_{12} in, 803
parenteral, the stability of almond and corn oils for use in, 145
Solvent systems, several parenteral, determination of solubility of sulfadiazine sodium as a function of *p*H in. Study of stability of sulfadiazine sodium injection I, 608
Sorbitan monostearate, polyoxyethylene (Tween 60), the evaluation of various emulsifiers including, for parenteral fat emulsions, 685
Sorbitol-sucrose-water, an investigation of the system, 45
Sorption of water by rubber closures for injections I. Effect of inorganic salts, 758
Specific gravity adjustment, the effect of wax and. Emulsions, pharmaceutical, a study of some factors influencing the stability of, II, 110
Spectral characteristics, ultraviolet, and physical chemical properties of amyl nitrite, 776
Stability in pharmaceutical preparations, prediction of, II: Vitamin stability in liquid multivitamin preparations, 171
in pharmaceutical preparations, prediction of, III. Comparison of vitamin stabilities in different multivitamin preparations, 470
of almond and corn oils for use in parenteral solutions, 145
of crude digitalis leaf. Digitalis studies by the U. S. P. XIV method of assay II, 250
of cyanocobalamin and its analogs in ascorbate solution, a comparison of the, 806
of pharmaceutical emulsions, a study of some factors influencing the, I. The effect of two-stage high pressure homogenization, 105
of pharmaceutical emulsions, a study of some factors influencing the, II. The effect of wax and specific gravity adjustment, 110
of sulfadiazine sodium injection I, study of. Determination of solubility of sulfadiazine sodium as a function of *p*H in several parenteral solvent systems, 608
of vitamin B_{12}, studies relating to the, in B-complex injectable solutions, 803
Stabilization of procaine with caffeine. Inhibition of hydrolysis of esters in solution by formation of complexes II, 290
Stabilizers, color, chelating agents as, for epinephrine hydrochloride solutions, 464
Starch, Nu Film, some properties and uses of, 753
Steroid hormones, an investigation of triterpenes as, 284
Strychnine, solubility of, in alcohol and water mixtures, 351
Succinylcholine chloride, a note on the melting range of, 508
Succinylsulfathiazole, interference of lactose in the determination of, 446
Sugar and amino acid derivatives of aminosalicylic acids. Comparative activities and toxicities I, 30
Sulfadiazine sodium injection, study of stability of, I. Determination of solubility of sulfadiazine sodium as a function of *p*H in several parenteral solvent systems, 608
Sulfite, preparation of bis-(2-nitro-2-methylpropyl)-, 570
Sulfuric acid esters, anticoagulant, of synthetic polyglucoses, 223
Suppositories, the "melting point" of. Device for testing the resistance of fatty-base suppositories to deformation, 246
Suppository bases, the use of hydrogenated cottonseed oil and hexadienol as, 86
Surface-active agents, some selected, the effect of on the extraction of cape aloe, 370
Synthetic laxative drugs, 650
Syrups, cocoa, for masking the taste of quinine hydrochloride, the use of, 151
cocoa, for taste preference, a study of, 160
deteriorated, the effect of various preservatives on microorganisms isolated from, 204

T

Tablet compression, the physics of, IX. Fundamental aspects of tablet lubrication, 51
compression, the physics of, XI. Determination of porosity of tablet granulations, 482
hardness, a note on, 354
lubrication, fundamental aspects of, 51
Tablets, medicinal, a note on zein as a film-type coating for, 125
the "Roche" friabilator, 114
Taste of quinine hydrochloride, the use of cocoa syrups for masking the, 151
preference, a study of cocoa syrups for, 160
Tetracycline HCl and chlortetracycline HCl in tetracycline HCl, the assay for, 400
in chlorotetracycline HCl, determination of, and the fluorometric assay for chlortetracycline HCl, 418
dl-**Tetrahydrocoptisine.** Alkaloids of *Chelidonium majus*, L., leaves and stems I, 702
Tetrahydrofuran and its mixtures, extraction of *Cinchona succirubra* with, 242
Tetraphenylboron, sodium, the use of as a means of identifying and isolating alkaloids, 568
Tetrazole hydrochloride (TT-209), 1-phenyl - 2 - dimethylaminoethoxymethyl, the hypotensive action of, 661
Thermoelectric methods, a study of, for determining isotonicity, 43
2 - Thienylacetic, alpha - 2 (2 - cycloalkenyl) - 2 - thienylacetic acids, further basic. Antispasmodics IV, 578
Thioacetamide in pharmaceutical testing, a note on, 765
Thiophosphoric acid, a note on chemical constitution and biological activity of some derivatives of, 817
o-**Thymotic** acid, a note on a dehydration product of, 764
Thyroid tissue slices, antibiotics and, 189
Thyroxine, an "*o*-hydroquimone" analog of, 704
(**Tibione**) Amithiozone analogs, some, 729
Tigogenin from *Digitalis lanata*, a note on, 581
Tincture, nux vomica, a simplified assay of, 232
Tissue cultures of *Claviceps litoralis*, catecholase activity in, 779
distribution and excretion of carboxyl carbon, determination of, in the rat, after administration of C^{14} carboxyl acetylsalicylic acid, 511
inflamed, the effect of prednisolone and prednisone on the oxygen uptake of, 808
Toxic component of the Singletary pea (*Lathyrus pusillus*), 236
Toxicities, comparative activities and I. Sugar and amino acid derivatives of aminosalicylic acids, 30
Toxicity, acute, of epinephrines. A note on pressor drugs VI, 431
acute and chronic, in dogs, rats, and mice. *p*-Hydroxybenzoic acid esters as preservatives II, 260
and antigencity of beef trypsin, observations on the, 637
in rabbits, and muscle relaxant effectiveness, comparison of aqueous and repository tubocurarine for, 330
of acetoglycerides, studies on the, 282
skin irritant properties and absorption of N-*n*-butyl-3-phenylsalicylamide, 342
Toxicological and pharmaceutical studies on the polyuronide of sapote gum, 134
Toxicology of ethinamate (Valmid, Lilly), the pharmacology and, 40
Tracer technique, radioactive, for determining the release of medication from hydrophilic ointment bases, 601
Triterpenes as steroid hormones, an investigation of, 284
the effect of, on the excretion of sodium and potassium by rats, 372
Trypsin, beef, observations on the toxicity and antigenicity of, 637
Tryptophane-nicotinic acid, the relationships and alkaloid biosynthesis in certain solanaceae, 70
Tubocurarine, comparison of aqueous and repository, for muscle relaxant effectiveness and toxicity in rabbits, 330
Turpentines, gum, of pines XXV, composition of. A report on two white pines: *Pinus koraiensis* from Korea and *P. peuce* from Macedonia, 77
XXVI, composition of. A report on *Pinus lawsoni* and *P. herrerai* from Michoacan, Mexico, and *P. ponderosa* from the California coast, 153
XXVII composition of. A report on three Mexican pines: *Pinus pringlei* and *P. michoacana* from Michoacan and *P. arizonica* from Chihuahua, 167
XXVIII, composition of. A report on *Pinus edulis* from eastern Arizona, *P. tropicalis* from Cuba, and *P. elliottii* var. *densa* from Florida, 629
Tyrothricin on oral microorganisms, effect of actamer and, 13

U

Ultrasonic extraction of *Cinchona succirubra*, 239
Ultraviolet spectra characteristics and physical chemical properties of amyl nitrite, 776
Unanesthetized animals, pharmacological effects from drugs injected intracerebrally in, 604
Urinary tract disease, bacterial resistance studies involving several drugs useful in the treatment of, 82

V

"Valmid" (ethinamate, Lilly) the pharmacology and toxicology of, 40

Vanilloylcevine. Sabadilla alkaloids V, 252
Veratridine and cevadine, separation of, by countercurrent distribution. pH vs. partition coefficients. Sabadilla alkaloids VI, 549
Vitamin B_{12}, a note on the effect of on the unsaturated fatty acid content of castor oil, 347
binding substance obtained from *L. Leichmanii* 7830, 309
concentration in liver injection, a chemical method for, 26
photolysis of, 129
studies relating to the stability of, in B-complex injectable solutions 803
Vitamin stability in liquid multivitamin preparations. Prediction of stability in pharmaceutical preparations, II, 171
stabilities, comparison of, in different multivitamin preparations. Prediction of stability in pharmaceutical preparations III, 470

W

Water solubility, effect of decreasing, on degree of complex formation. Formation of molecular complexes by some water-soluble amides II, 810
Water-soluble amides, formation of molecular complexes by some, II. Effect of decreasing water solubility on degree of complex formation, 810
or dispersible pills, production of by the drop method, 618

Z

Zein as a film-type coating for medicinal tablets, a note on, 125
Zinc bacitracin, formulatory characteristics of. Bacitracin III, 447
oxide hyperfine: preparation and properties, 311
oxide, photosensitized, a general study of the effects of lipids upon the quantity of peroxides produced by, 696

SPECIAL ANNOUNCEMENTS

First N. F. X Interim Revision Announcement, Jan., p. III
First U. S. P. XV Interim Revision Announcement, Jan., p. VII
Special Supplement, Feb. issue, part II
Proposed International Non-Proprietary Names, 194
Second N. F. X. Interim Revision Announcement, Oct., p. V
Nominations Announcement for 1957 Chilean Iodine Education Bureau Award, Nov., p. II, Dec., p. II